vce trainer



AZ-103.78q

AZ-103

AZ-103

Microsoft Azure Administrator

Score: 800/1000

Licensed to Berend Post berend.post@it-university.nl

Version:

Time Limit: 120 Minutes

Licensed to Berend Post berend.post@it-university.nl

Manage Azure subscriptions and resources

(10 questions)

Question 1

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Subscription1. Subscription1 contains a resource group named RG1. RG1 contains resources that were deployed by using templates.

You need to view the date and time when the resources were created in RG1.

Solution: From the Subscriptions blade, you select the subscription, and then click Programmatic deployment.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 2

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Subscription1. Subscription1 contains a resource group named RG1. RG1 contains resources that were deployed by using templates.

You need to view the date and time when the resources were created in RG1.

Solution: From the Subscriptions blade, you select the subscription, and then click Resource providers.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 3

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Subscription1. Subscription1 contains a resource group named RG1. RG1 contains resources that were deployed by using templates.

You need to view the date and time when the resources were created in RG1.

Solution: From the RG1 blade, you click Automation script.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 4

You have an Azure Active Directory (Azure AD) tenant that contains 5,000 user accounts.

You create a new user account named AdminUser1.

You need to assign the User administrator administrative role to AdminUser1.

What should you do from the user account properties?

- ☐ From the Directory role blade, modify the directory role.
- ☐ From the Licenses blade, assign a new license.
- ☐ From the Groups blade, invite the user account to a new group.

Question 5

You have an Azure subscription named Subscription1 that contains an Azure Log Analytics workspace named Workspace1.

You need to view the error events from a table named Event.

Which query should you run in Workspace1?


- ☐ Get-Event Event | where ($_.EventType –eq "error")
- ☐ Get-Event Event | where ($_.EventType == "error")
- ☐ search in (Event) * | where EventType –eq "error"
- ☐ search in (Event) "error"
- ☐ select *from Event where EventType == "error"
- ☐ Event | where EventType is "error"

Licensed to Berend Post berend.post@it-university.nl

Question 6

You have an Azure subscription.

You have an on-premises virtual machine named VM1. The settings for VM1 are shown in the exhibit. (Click the Exhibit tab.)



You need to ensure that you can use the disks attached to VM1 as a template for Azure virtual machines.


What should you modify on VM1?

- ☐ the hard drive
- ☐ the processor
- ☐ the network adapters
- ☐ the memory
- ☐ Integration Services

Licensed to Berend Post berend.post@it-university.nl

Question 7

You have an Azure policy as shown in the following exhibit.



What is the effect of the policy?

- ☐ You are prevented from creating Azure SQL Servers in ContosoRG1 only.
- ☐ You can create Azure SQL servers in ContosoRG1 only.
- ☐ You can create Azure SQL servers in any resource group within Subscription1.
- ☐ You are prevented from creating Azure SQL servers anywhere in Subscription1.

Licensed to Berend Post berend.post@it-university.nl

Question 8

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure Active Directory (Azure AD) tenant named Adatum and an Azure Subscription named Subscription1. Adatum contains a group named Developers. Subscription1 contains a resource group named Dev.

You need to provide the Developers group with the ability to create Azure logic apps in the Dev resource group.

Solution: On Subscription1, you assign the DevTest Labs User role to the Developers group.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 9

You have an Azure subscription named Subscription1. Subscription1 contains the resource groups in the following table.

Name	Azure region	Policy
RG1	West Europe	Policy1
RG2	North Europe	Policy2
RG3	France Central	Policy3

RG1 has a web app named WebApp1. WebApp1 is located in West Europe.

You move WebApp1 to RG2.

What is the effect of the move?

- ☐ The App Service plan for WebApp1 moves to North Europe. Policy2 applies to WebApp1.
- ☐ The App Service plan for WebApp1 remains in West Europe. Policy2 applies to WebApp1.
- ☐ The App Service plan for WebApp1 moves to North Europe. Policy1 applies to WebApp1.
- ☐ The App Service plan for WebApp1 remains in West Europe. Policy1 applies to WebApp1.

Licensed to Berend Post berend.post@it-university.nl

Question 10

You have an Azure subscription that contains a resource group named RG1. RG1 contains 100 virtual machines.

Your company has three cost centers named Manufacturing, Sales, and Finance.

You need to associate each virtual machine to a specific cost center.

What should you do?

- ☐ Configure locks for the virtual machine.
- ☐ Add an extension to the virtual machines.
- ☐ Assign tags to the virtual machines.
- ☐ Modify the inventory settings of the virtual machine.

Licensed to Berend Post berend.post@it-university.nl

Case Study (2 questions)

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an AllInformation tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.

Overview

Humongous Insurance is an insurance company that has three offices in Miami, Tokyo and Bangkok. Each office has 5,000 users.

Existing Environment
Active Directory Environment
Humongous Insurance has a single-domain Active Directory forest named humongousinsurance.com. The functional level of the forest is Windows Server 2012.

You recently provisioned an Azure Active Directory (Azure AD) tenant.

Network Infrastructure
Each office has a local data center that contains all the servers for that office. Each office has a dedicated connection to the Internet.

Each office has several link load balancers that provide access to the servers.

Active Directory Issue
Several users in humongousinsurance.com have UPNs that contain special characters.

You suspect that some of the characters are unsupported in Azure AD.

 Licensed to Berend Post berend.post@it-university.nl

Licensing Issue
You attempt to assign a license in Azure to several users and receive the following error message: "Licenses not assigned. License assignment failed for one user."

You verify that the Azure subscription has the available licenses.

Requirements
Planned Changes
Humongous Insurance plans to open a new office in Paris. The Paris office will contain 1,000 users who will be hired during the next 12 months. All the resources used by the Paris office users will be hosted in Azure.

Planned Azure AD Infrastructure
The on-premises Active Directory domain will be synchronized to Azure AD.

All client computers in the Paris office will be joined to an Azure AD domain.

Planned Azure Networking Infrastructure
You plan to create the following networking resources in a resource group named All_Resources:

Default Azure system routes that will be the only routes used to route traffic
A virtual network named Paris-VNet that will contain two subnets named Subnet1 and Subnet2
A virtual network named ClientResources-VNet that will contain one subnet named ClientSubnet
A virtual network named AllOffices-VNet that will contain two subnets named Subnet3 and Subnet4

You plan to enable peering between Paris-VNet and AllOffices-VNet. You will enable the Use remote gateways setting for the Paris-VNet peerings.

You plan to create a private DNS zone named humongousinsurance.local and set the registration network to the ClientResources-VNet virtual network.

Planned Azure Computer Infrastructure
Each subnet will contain several virtual machines that will run either Windows Server 2012 R2, Windows Server 2016, or Red Hat Linux.

Department Requirements
Humongous Insurance identifies the following requirements for the company's departments:

Web administrators will deploy Azure web apps for the marketing department. Each web app will be added to a separate resource group. The initial configuration of the web apps will be identical. The web administrators have permission to deploy web apps to resource groups.
During the testing phase, auditors in the finance department must be able to review all Azure costs from the past week.
Authentication Requirements
Users in the Miami office must use Azure Active Directory Seamless Single Sign-on (Azure AD Seamless SSO) when accessing resources in Azure.

 Licensed to Berend Post berend.post@it-university.nl

Question 11

You need to define a custom domain name for Azure AD to support the planned infrastructure.

Which domain name should you use?

- ☐ ad.humongousinsurance.com
- ☐ humingousinsurance.onmicrosoft.com
- ☐ humongousinsurance.com
- ☐ humongousinsurance.local

Question 12

You need to resolve the Active Directory issue.

What should you do?

- ☐ Run the IdFix tool then use the Update actions.
- ☐ From Active Directory Domains and Trusts, modify the list of UPN suffixes.
- ☐ From Azure AD Connect, modify the outbound synchronization rule.
- ☐ From Active Directory Users and Computers, select the user accounts and then modify the UPN suffix value.

Licensed to Berend Post berend.post@it-university.nl

Implement and manage storage

(8 questions)

Question 13

You have the Azure virtual machines shown in the following table.

Name	Azure Region
VM1	West Europe
VM2	West Europe
VM3	North Europe
VM4	North Europe

You have a Recovery Services vault that protects VM1 and VM2.

You need to protect VM3 and VM4 by using Recovery Services.

What should you do first?

- ☐ Create a new backup policy.
- ☐ Configure the extensions for VM3 and VM4.
- ☐ Create a storage account.
- ☐ Create a new Recovery Services vault.

Question 14

You plan to use the Azure Import/Export service to copy files to a storage account.

Which two files should you create before you prepare the drives for the import job? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.


- ☐ a driveset CSV file
- ☐ a JSON configuration file
- ☐ a PowerShell PS1 file
- ☐ an XML manifest file
- ☐ a dataset CSV file

Licensed to Berend Post berend.post@it-university.nl

Question 15

HOTSPOT

You have Azure Storage accounts as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

Answer Area

You can use **[answer choice]** for Azure Table Storage.

- storageaccount1 only
- storageaccount2 only
- storageaccount3 only
- storageaccount1 and storageaccount2 only
- storageaccount2 and storageaccount3 only

You can use **[answer choice]** for Azure Blob storage.

- storageaccount3 only
- storageaccount2 and storageaccount3 only
- storageaccount1 and storageaccount3 only
- all the storage accounts

Licensed to Berend Post berend.post@it-university.nl

Question 16

You create an Azure Storage account named contosostorage.

You plan to create a file share named data.

Users need to map a drive to the data file share from home computers that run Windows 10.

Which outbound port should you open between the home computers and the data file share?

- ☐ 80
- ☐ 443
- ☐ 445
- ☐ 3389

Licensed to Berend Post berend.post@it-university.nl

Question 17

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g, copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.


Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Use the following login credentials as needed:

Azure Username: XXXXXXX
Azure Password: XXXXXXX
The following information is for technical support purposes only:
Lab Instance: 9172796

Licensed to Berend Post berend.post@it-university.nl



Task 1

You plan to prevent users from accidentally deleting blob data from Azure.

You need to ensure that administrators can recover any blob data that is deleted accidentally from the storagelod9272261 storage account for 14 days after the deletion occurred.

What should you do from the Azure portal?

Question 18

You have a Recovery Service vault that you use to test backups. The test backups contain two protected virtual machines.

You need to delete the Recovery Services vault.

What should you do first?

- ☐ From the Recovery Service vault, delete the backup data.
- ☐ Modify the disaster recovery properties of each virtual machine.
- ☐ From the Recovery Service vault, stop the backup of each backup item.
- ☐ Modify the locks of each virtual machine.

Licensed to Berend Post berend.post@it-university.nl

Question 19

You have two Azure virtual machines named VM1 and VM2. You have two Recovery Services vaults named RSV1 and RSV2.

VM2 is protected by RSV1.

You need to use RSV2 to protect VM2.

What should you do first?

- ☐ From the VM2 blade, click Disaster recovery, click Replication settings, and then select RSV2 as the Recovery Services vault.
- ☐ From the RSV2 blade, click Backup. From the Backup blade, select the backup for the virtual machine, and then click Backup.
- ☐ From the RSV1 blade, click Backup Jobs and export the VM2 job.
- ☐ From the RSV1 blade, click Backup items and stop the VM2 backup.

Question 20

You have an Azure subscription that contains the resources in the following table.

Name	Type
RG1	Resource group
Store1	Azure Storage account
Sync1	Azure File Sync

Store1 contains a file share named Data. Data contains 5,000 files.

You need to synchronize the files in Data to an on-premises server named Server1.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ Download an automation script.
- ☐ Register Server1.
- ☐ Create a sync group.
- ☐ Create a container instance.
- ☐ Install the Azure File Sync agent on Server1.

Licensed to Berend Post berend.post@it-university.nl

Deploy and manage virtual machines (VMs)

(11 questions)

Question 21

HOTSPOT

You have an Azure subscription named Subscription1. Subscription1 contains two Azure virtual machines named VM1 and VM2. VM1 and VM2 run Windows Server 2016.

VM1 is backed up daily by Azure Backup without using the Azure Backup agent.


VM1 is affected by ransomware that encrypts data.

You need to restore the latest backup of VM1.

To which location can you restore the backup? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Licensed to Berend Post berend.post@it-university.nl

Question 22

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure virtual machine named VM1. VM1 was deployed by using a custom Azure Resource Manager template named ARM1.json.

You receive a notification that VM1 will be affected by maintenance.

You need to move VM1 to a different host immediately.

Solution: From the Redeploy blade, you click Redeploy.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 23

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g, copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.


Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Use the following login credentials as needed:

Azure Username: XXXXXXX
Azure Password: XXXXXXX
The following information is for technical support purposes only:
Lab Instance: 9172796

Licensed to Berend Post berend.post@it-university.nl



Task5

You plan to connect several virtual machines to the VNET01-USEA2 virtual network.

In the Web-RGlod9272261 resource group, you need to create a virtual machine that uses the Standard_B2ms size named Web01 that runs Windows Server 2016. Web01 must be added to an availability set.

What should you do from the Azure portal?

Question 24

You download an Azure Resource Manager template based on an existing virtual machine. The template will be used to deploy 100 virtual machines.

You need to modify the template to reference an administrative password. You must prevent the password from being stored in plain text.

What should you create to store the password?

- ☐ an Azure Key Vault and an access policy
- ☐ a Recovery Services vault and a backup policy
- ☐ Azure Active Directory (AD) Identity Protection and an Azure policy
- ☐ an Azure Storage account and an access policy

Licensed to Berend Post berend.post@it-university.nl

Question 25

You have an Azure subscription that contains a virtual machine named VM1. VM1 hosts a line-of-business application that is available 24 hours a day. VM1 has one network interface and one managed disk. VM1 uses the D4s v3 size.

You plan to make the following changes to VM1:

Change the size to D8s v3.
Add a 500-GB managed disk.
Add the Puppet Agent extension.
Attach an additional network interface.

Which change will cause downtime for VM1?

- ☐ Add the Puppet Agent extension.
- ☐ Change the size to D8s v3.
- ☐ Add a 500-GB managed disk.
- ☐ Attach an additional network interface.

Question 26

You have an Azure virtual machine named VM1 that you use for testing. VM1 is protected by Azure Backup.

You delete VM1.

You need to remove the backup data stored for VM1.

What should you do first?

- ☐ Delete the Recovery Services vault.
- ☐ Delete the storage account.
- ☐ Stop the backup
- ☐ Modify the backup policy.

Licensed to Berend Post berend.post@it-university.nl

Question 27

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure virtual machine named VM1. VM1 was deployed by using a custom Azure Resource Manager template named ARM1.json.

You receive a notification that VM1 will be affected by maintenance.

You need to move VM1 to a different host immediately.

Solution: From the Overview blade, you move the virtual machine to a different subscription.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 28

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g, copy and paste, ability to navigate to external websites) will not be possible by design.


Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Licensed to Berend Post berend.post@it-university.nl



Task 4

You need to deploy an Azure virtual machine named VM1004a based on an Ubuntu Server image, and then configure VM1004a to meet the following requirements:

The virtual machine must contain data disks that can store at least 15 TB of data.
The data disks must be able to provide at least 2.000 IOPS.
Storage costs must be minimized.

What should you do from the Azure portal?

Licensed to Berend Post berend.post@it-university.nl

Question 29

You have an Azure subscription named Subscription1.

You deploy a Linux virtual machine named VM1 to Subscription1.

You need to monitor the metrics and the logs of VM1.

What should you use?

- ☐ the AzurePerformanceDiagnostics extension
- ☐ Azure HDInsight
- ☐ Linux Diagnostic Extension (LAD) 3.0
- ☐ Azure Analysis Services

Question 30

You have an Azure subscription named Subscription1 that is used by several departments at your company. Subscription1 contains the resources in the following table.

Name	Type
storage1	Storage account
RG1	Resource group
Container1	Blob container
Share1	File share

Another administrator deploys a virtual machine named VM1 and an Azure Storage account named Storage2 by using a single Azure Resource Manager template.

You need to view the template used for the deployment.

From which blade can you view the template that was used for the deployment?

- ☐ Container1
- ☐ RG1
- ☐ VM1
- ☐ Storage2

Licensed to Berend Post berend.post@it-university.nl

Question 31

You plan to automate the deployment of a virtual machine scale set that uses the Windows Server 2016 Datacenter image.

You need to ensure that when the scale set virtual machines are provisioned, they have web server components installed.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ Modify the extensionProfile section of the Azure Resource Manager template.
- ☐ Create an automation account.
- ☐ Upload a configuration script.
- ☐ Create a new virtual machine scale set in the Azure portal.
- ☐ Create an Azure policy.

Licensed to Berend Post berend.post@it-university.nl

Case Study (1 questions)

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an AllInformation tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.
Overview

Contoso, Ltd. is a consulting company that has a main office in Montreal and two branch offices in Seattle and New York.

The Montreal office has 2,000 employees. The Seattle office has 1,000 employees. The New York office has 200 employees.

All the resources used by Contoso are hosted on-premises.

Contoso creates a new Azure subscription. The Azure Active Directory (Azure AD) tenant uses a domain named contoso.onmicrosoft.com. The tenant uses the P1 pricing tier.

Existing Environment

The network contains an Active Directory forest named contoso.com. All domain controllers are configured as DNS servers and host the contoso.com DNS zone.

Contoso has finance, human resources, sales, research, and information technology departments. Each department has an organizational unit (OU) that contains all the accounts of that respective department. All the user accounts have the department attribute set to their respective department. New users are added frequently.

Licensed to Berend Post berend.post@it-university.nl

Contoso.com contains a user named User1.

All the offices connect by using private links.

Contoso has data centers in the Montreal and Seattle offices. Each data center has a firewall that can be configured as a VPN device.

All infrastructure servers are virtualized. The virtualization environment contains the servers in the following table.

Name	Role	Contains virtual machine
Server1	VMWare vCenter server	VM1
Server2	Hyper-V-host	VM2

Contoso uses two web applications named App1 and App2. Each instance on each web application requires 1GB of memory.

The Azure subscription contains the resources in the following table.

Name	Type
VNet1	Virtual network
VM3	Virtual machine
VM4	Virtual machine

The network security team implements several network security groups (NSGs).

Planned Changes

Contoso plans to implement the following changes:

Deploy Azure ExpressRoute to the Montreal office.
Migrate the virtual machines hosted on Server1 and Server2 to Azure.
Synchronize on-premises Active Directory to Azure Active Directory (Azure AD).
Migrate App1 and App2 to two Azure web apps named WebApp1 and WebApp2.
Technical requirements

Contoso must meet the following technical requirements:

Ensure that WebApp1 can adjust the number of instances automatically based on the load and can scale up to five instances.
Ensure that VM3 can establish outbound connections over TCP port 8080 to the applications servers in the Montreal office.
Ensure that routing information is exchanged automatically between Azure and the routers in the Montreal office.
Ensure Azure Multi-Factor Authentication (MFA) for the users in the finance department only.
Ensure that webapp2.azurewebsites.net can be accessed by using the name app2.contoso.com
Connect the New York office to VNet1 over the Internet by using an encrypted connection.
Create a workflow to send an email message when the settings of VM4 are modified.
Create a custom Azure role named Role1 that is based on the Reader role.

Licensed to Berend Post berend.post@it-university.nl

Minimize costs whenever possible.

Question 32

You discover that VM3 does NOT meet the technical requirements.

You need to verify whether the issue relates to the NSGs.

What should you use?

- ☐ Diagram in VNet1
- ☐ the security recommendations in Azure Advisor
- ☐ Diagnostic settings in Azure Monitor
- ☐ Diagnose and solve problems in Traffic Manager profiles
- ☐ IP flow verify in Azure Network Watcher

Licensed to Berend Post berend.post@it-university.nl

Configure and manage virtual networks

(27 questions)

Question 33

You have an Azure subscription that contains a policy-based virtual network gateway named GW1 and a virtual network named VNet1.

You need to ensure that you can configure a point-to-site connection from VNet1 to an on-premises computer.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ Reset GW1.
- ☐ Create a route-based virtual network gateway.
- ☐ Delete GW1.
- ☐ Add a public IP address space to VNet1.
- ☐ Add a connection to GW1.
- ☐ Add a service endpoint to VNet1.

Question 34

You have five Azure virtual machines that run Windows Server 2016. The virtual machines are configured as web servers.

You have an Azure load balancer named LB1 that provides load balancing services for the virtual machines.

You need to ensure that visitors are serviced by the same web server for each request.

What should you configure?

- ☐ Protocol to UDP
- ☐ Session persistence to None
- ☐ Session persistence to Client IP
- ☐ Idle Time-out (minutes) to 20

Licensed to Berend Post berend.post@it-university.nl

Question 35

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company registers a domain name of contoso.com.

You create an Azure DNS zone named contoso.com, and then you add an A record to the zone for a host named www that has an IP address of 131.107.1.10.

You discover that Internet hosts are unable to resolve www.contoso.com to the 131.107.1.10 IP address.

You need to resolve the name resolution issue.

Solution: You create a PTR record for www in the contoso.com zone.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 36

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
Your company registers a domain name of contoso.com.
You create an Azure DNS zone named contoso.com, and then you add an A record to the zone for a host named www that has an IP address of 131.107.1.10.
You discover that Internet hosts are unable to resolve www.contoso.com to the 131.107.1.10 IP address.

You need to resolve the name resolution issue.

Solution: You modify the SOA record in the contoso.com zone.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 37

You are troubleshooting a performance issue for an Azure Application Gateway.

You need to compare the total requests to the failed requests during the past six hours.

What should you use?

- ☐ NSG flow logs in Azure Network Watcher
- ☐ Metrics in Application Gateway
- ☐ Connection monitor in Azure Network Watcher
- ☐ Diagnostics logs in Application Gateway

Licensed to Berend Post berend.post@it-university.nl

Question 38

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You manage a virtual network named VNet1 that is hosted in the West US Azure region.

VNet1 hosts two virtual machines named VM1 and VM2 that run Windows Server.

You need to inspect all the network traffic from VM1 to VM2 for a period of three hours.

Solution: From Performance Monitor, you create a Data Collector Set (DCS).

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 39

You have an Azure subscription that contains three virtual networks named VNet1, VNet2, and VNet3. VNet2 contains a virtual appliance named VM2 that operates as a router.

You are configuring the virtual networks in a hub and spoke topology that uses VNet2 as the hub network.

You plan to configure peering between VNet1 and Vnet2 and between VNet2 and VNet3.

You need to provide connectivity between VNet1 and VNet3 through VNet2.

Which two configurations should you perform? Each correct answer presents part of the solution.

- ☐ On the peering connections, use remote gateways.
- ☐ On the peering connections, allow forwarded traffic.
- ☐ On the peering connections, allow gateway transit.
- ☐ Create route tables and assign the table to subnets.
- ☐ Create a route filter.

Licensed to Berend Post berend.post@it-university.nl

Question 40

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g, copy and paste, ability to navigate to external websites) will not be possible by design.

Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.


Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Use the following login credentials as needed:

Azure Username: XXXXXXX
Azure Password: XXXXXXX
The following information is for technical support purposes only:
Lab Instance: 9172796

Licensed to Berend Post berend.post@it-university.nl



Task 8

You plan to host several secured websites on Web01.

You need to allow HTTPS over TCP port 443 to Web01 and to prevent HTTP over TCP port 80 to Web01.

What should you do from the Azure portal?


Licensed to Berend Post berend.post@it-university.nl

Question 41

You have an Azure subscription named Subscription1. Subscription1 contains a virtual machine named VM1.

You have a computer named Computer1 that runs Windows 10. Computer1 is connected to the Internet.

You add a network interface named Interface1 to VM1 as shown in the exhibit. (Click the Exhibit tab.)



From Computer1, you attempt to connect to VM1 by using Remote Desktop, but the connection fails.

You need to establish a Remote Desktop connection to VM1.

What should you do first?

- ☐ Change the priority of the RDP rule.
- ☐ Attach a network interface.
- ☐ Delete the DenyAllInBound rule.
- ☐ Start VM1.

Licensed to Berend Post berend.post@it-university.nl

Question 42

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
Your company registers a domain name of contoso.com.
You create an Azure DNS zone named contoso.com, and then you add an A record to the zone for a host named www that has an IP address of 131.107.1.10.
You discover that Internet hosts are unable to resolve www.contoso.com to the 131.107.1.10 IP address.

You need to resolve the name resolution issue.

Solution: You add an NS record to the contoso.com Azure DNS zone.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 43

You have a public load balancer that balances ports 80 and 443 across three virtual machines.

You need to direct all the Remote Desktop Protocol (RDP) connections to VM3 only.

What should you configure?

- ☐ an inbound NAT rule
- ☐ a load balancing rule
- ☐ a new public load balancer for VM3
- ☐ a frontend IP configuration

Licensed to Berend Post berend.post@it-university.nl


Question 44

You have an Azure subscription that contains the resources in the following table.

Name	Type	Details
VNet1	Virtual network	*Not applicable*
Subnet1	Subnet	Hosted on VNet1
VM1	Virtual machine	On Subnet1
VM2	Virtual machine	On Subnet1

VM1 and VM2 are deployed from the same template and host line-of-business applications accessed by using Remote Desktop.

You configure the network security group (NSG) shown in the exhibit. (Click the Exhibit tab.)



You need to prevent users of VM2 and VM2 from accessing websites on the Internet over TCP port 80.

What should you do?

- ☐ Change the DenyWebSites outbound security rule.
- ☐ Change the Port_80 inbound security rule.
- ☐ Disassociate the NSG from a network interface.
- ☐ Associate the NSG to Subnet1.

Licensed to Berend Post berend.post@it-university.nl

Question 45

You have two subscriptions named Subscription1 and Subscription2. Each subscription is associated to a different Azure AD tenant.

Subscription1 contains a virtual network named VNet1. VNet1 contains an Azure virtual machine named VM1 and has an IP address space of 10.0.0.0/16.

Subscription2 contains a virtual network named VNet2. VNet2 contains an Azure virtual machine named VM2 and has an IP address space of 10.10.0.0/24.

You need to connect VNet1 to VNet2.

What should you do first?

- ☐ Move VM1 to Subscription2.
- ☐ Modify the IP address space of VNet2.
- ☐ Provision virtual network gateways.
- ☐ Move VNet1 to Subscription2.

Question 46

You have an Azure subscription named Subscription1 that contains an Azure virtual network named VNet1. VNet1 connects to your on-premises network by using Azure ExpressRoute.

You need to connect VNet1 to the on-premises network by using a site-to-site VPN. The solution must minimize cost.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ Create a gateway subnet.
- ☐ Create a VPN gateway that uses the Basic SKU.
- ☐ Create a connection.
- ☐ Create a local site VPN gateway.
- ☐ Create a VPN gateway that uses the VpnGw1 SKU.

Licensed to Berend Post berend.post@it-university.nl

Question 47

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You manage a virtual network named VNet1 that is hosted in the West US Azure region.

VNet1 hosts two virtual machines named VM1 and VM2 that run Windows Server.

You need to inspect all the network traffic from VM1 to VM2 for a period of three hours.

Solution: From Azure Network Watcher, you create a connection monitor.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 48

You have the Azure virtual networks shown in the following table.

Name	Address space	Subnet	Resource group Azure region
VNet1	10.11.0.0./16	10.11.0.0./17	West US
VNet2	10.11.0.0./17	10.11.0.0./25	West US
VNet3	10.10.0.0./22	10.10.1.0./24	East US
VNet4	192.168.16.0/22	192.168.16.0/24	North Europe

To which virtual networks can you establish a peering connection from VNet1?

- ☐ VNet2 and VNet3 only
- ☐ VNet2 only
- ☐ VNet3 and VNet4 only
- ☐ VNet2, VNet3, and VNet4

Licensed to Berend Post berend.post@it-university.nl

Question 49

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You manage a virtual network named VNet1 that is hosted in the West US Azure region.

VNet1 hosts two virtual machines named VM1 and VM2 that run Windows Server.

You need to inspect all the network traffic from VM1 to VM2 for a period of three hours.

Solution: From Azure Network Watcher, you create a packet capture.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 50

HOTSPOT

You have an Azure virtual machine named VM1 that connects to a virtual network named VNet1. VM1 has the following configurations:

Subnet 10.0.0.0/24
Availability set: AVSet
Network security group (NSG): None
Private IP address: 10.0.0.4 (dynamic)
Public IP address: 40.90.219.6 (dynamic)

You deploy a standard, Internet-facing load balancer named slb1.

You need to configure slb1 to allow connectivity to VM1.

Which changes should you apply to VM1 as you configure slb1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Before you create a backend pool on slb1, you must:

- Create and assign an NSG to VM1
- Remove the public IP address from VM1
- Change the private IP address of VM1 to static

Before you can connect to VM1 from slb1, you must:

- Create and configure an NSG
- Remove the public IP address from VM1
- Change the private IP address of VM1 to static

Licensed to Berend Post berend.post@it-university.nl

Question 51

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains 10 virtual networks. The virtual networks are hosted in separate resource groups.

Another administrator plans to create several network security groups (NSGs) in the subscription.

You need to ensure that when an NSG is created, it automatically blocks TCP port 8080 between the virtual networks.

Solution: You create a resource lock, and then you assign the lock to the subscription.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 52

You have an Azure subscription that contains the resources in the following table.

Name	Type	Azure region	Resource group
VNet1	Virtual network	West US	RG2
VNet2	Virtual network	West US	RG1
VNet3	Virtual network	East US	RG1
NSG1	Network security group (NSG)	East US	RG2

To which subnets can you apply NSG1?


- ☐ the subnets on VNet2 only
- ☐ the subnets on VNet2 and VNet3 only
- ☐ the subnets on VNet1, VNet2, and VNet3
- ☐ the subnets on VNet1 only
- ☐ the subnets on VNet3 only

Licensed to Berend Post berend.post@it-university.nl

Question 53

You have an Azure virtual machine named VM1.

The network interface for VM1 is configured as shown in the exhibit. (Click the Exhibit tab.)



Network Interface: vm1175 Effective security rules Topology

Virtual network/subnet: RG5-vnet/default Public IP: **40.127.109.108** Private IP: **172.16.1.4** Accelerated networking: **Disabled**

APPLICATION SECURITY GROUPS

Configure the application security groups

INBOUND PORT RULES

Network security group VM1-nsg (attached to network interface: vm1175)
Impacts 0 subnets, 1 network interfaces

Add inbound port rule

PRIORITY	NAME	PORT	PROTOCOL	SOURCE	DESTINATION	ACTION
300	RDP	3389	TCP	Any	Any	Allow
400	Rule1	80	TCP	Any	Any	Deny
500	Rule2	80,443	TCP	Any	Any	Deny
1000	Rule4	50-100,400-500	UDP	Any	Any	Allow
2000	Rule5	50-5000	Any	Any	VirtualNetwork	Deny
3000	Rule6	150-300	Any	Any	Any	Allow
4000	Rule3	60-500	Any	Any	VirtualNetwork	Allow
65000	AllowVnetInBound	Any	Any	VirtualNetwork	VirtualNetwork	Allow
65001	AllowAzureLoadBalancerInBo...	Any	Any	AzureLoadBala...	Any	Allow
65500	DenyAllInBound	Any	Any	Any	Any	Deny

You deploy a web server on VM1, and then create a secure website that is accessible by using the HTTPS protocol. VM1 is used as a web server only.

You need to ensure that users can connect to the website from the internet.

What should you do?

- ☐ Create a new inbound rule that allows TCP protocol 443 and configure the protocol to have a priority of 501.
- ☐ For Rule5, change the Action to Allow and change the priority to 401.
- ☐ Delete Rule1.
- ☐ Modify the protocol of Rule4.

Licensed to Berend Post berend.post@it-university.nl

Question 54

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains 10 virtual networks. The virtual networks are hosted in separate resource groups.

Another administrator plans to create several network security groups (NSGs) in the subscription.

You need to ensure that when an NSG is created, it automatically blocks TCP port 8080 between the virtual networks.

Solution: You configure a custom policy definition, and then you assign the policy to the subscription.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 55

You have five Azure virtual machines that run Windows Server 2016. The virtual machines are configured as web servers.

You have an Azure load balancer named LB1 that provides load balancing services for the virtual machines.

You need to ensure that visitors are serviced by the same web server for each request.

What should you configure?

- ☐ Idle Time-out (minutes) to 20
- ☐ Floating IP (direct server return) to Disabled
- ☐ Floating IP (direct server return) to Enabled
- ☐ Session persistence to Client IP and protocol
- ☐ a health probe

Licensed to Berend Post berend.post@it-university.nl

Question 56

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g, copy and paste, ability to navigate to external websites) will not be possible by design.


Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Licensed to Berend Post berend.post@it-university.nl



Task 8

You need to create a virtual network named VNET1008 that contains three subnets named subnet0, subnet1, and subnet2. The solution must meet the following requirements:

Connections from any of the subnets to the Internet must be blocked.
Connections from the Internet to any of the subnets must be blocked.
The number of network security groups (NSGs) and NSG rules must be minimized.

What should you do from the Azure portal?

Licensed to Berend Post berend.post@it-university.nl

Question 57

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
Your company registers a domain name of contoso.com.
You create an Azure DNS zone named contoso.com, and then you add an A record to the zone for a host named www that has an IP address of 131.107.1.10.
You discover that Internet hosts are unable to resolve www.contoso.com to the 131.107.1.10 IP address.

You need to resolve the name resolution issue.

Solution: You modify the name servers at the domain registrar.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 58

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains 10 virtual networks. The virtual networks are hosted in separate resource groups.

Another administrator plans to create several network security groups (NSGs) in the subscription.

You need to ensure that when an NSG is created, it automatically blocks TCP port 8080 between the virtual networks.

Solution: From the Resource providers blade, you unregister the Microsoft.ClassicNetwork provider.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 59

You have an Azure subscription named Subscription1 that contains two Azure virtual networks named VNet1 and VNet2. VNet1 contains a VPN gateway named VPNGW1 that uses static routing. There is a site-to-site VPN connection between your on-premises network and VNet1.

On a computer named Client1 that runs Windows 10, you configure a point-to-site VPN connection to VNet1.

You configure virtual network peering between VNet1 and VNet2. You verify that you can connect to VNet2 from the on-premises network. Client1 is unable to connect to VNet2.

You need to ensure that you can connect Client1 to VNet2.

What should you do?

- ☐ Select Allow gateway transit on VNet2.
- ☐ Enable BGP on VPNGW1.
- ☐ Select Allow gateway transit on VNet1.
- ☐ Download and re-install the VPN client configuration package on Client1.

Licensed to Berend Post berend.post@it-university.nl

Manage identities

(17 questions)

Question 60

You have an Azure Active Directory (Azure AD) tenant.

You have an existing Azure AD conditional access policy named Policy1. Policy1 enforces the use of Azure AD-joined devices when members of the Global Administrators group authenticate to Azure AD from untrusted locations.

You need to ensure that members of the Global Administrators group will also be forced to use multi-factor authentication when authenticating from untrusted locations.

What should you do?

- ☐ From the Azure portal, modify session control of Policy1.
- ☐ From the multi-factor authentication page, modify the user settings.
- ☐ From the Azure portal, modify grant control of Policy1.
- ☐ From the multi-factor authentication page, modify the service settings.

Question 61

You set the multi-factor authentication status for a user named admin1@contoso.com to Enabled.

Admin1 accesses the Azure portal by using a web browser.

Which additional security verifications can Admin1 use when accessing the Azure portal?

- ☐ a phone call, a text message that contains a verification code, and a notification or a verification code sent from the Microsoft Authenticator app
- ☐ an app password, a text message that contains a verification code, and a notification sent from the Microsoft Authenticator app
- ☐ an app password, a text message that contains a verification code, and a verification code sent from the Microsoft Authenticator app
- ☐ a phone call, an email message that contains a verification code, and a text message that contains an app password

Licensed to Berend Post berend.post@it-university.nl

Question 62

You have an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.

The User administrator role is assigned to a user named Admin1.

An external partner has a Microsoft account that uses the user1@outlook.com sign in.
Admin1 attempts to invite the external partner to sign in to the Azure AD tenant and receives the following error message: "Unable to invite user user1@outlook.com – Generic authorization exception."

You need to ensure that Admin1 can invite the external partner to sign in to the Azure AD tenant.

What should you do?

- ☐ From the Roles and administrators blade, assign the Security administrator role to Admin1.
- ☐ From the Organizational relationships blade, add an identity provider.
- ☐ From the Custom domain names blade, add a custom domain.
- ☐ From the Users blade, modify the External collaboration settings.

Licensed to Berend Post berend.post@it-university.nl

Question 63

HOTSPOT


You have an Azure Active Directory (Azure AD) tenant.

You need to create a conditional access policy that requires all users to use multi-factor authentication when they access the Azure portal.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area



Licensed to Berend Post berend.post@it-university.nl

Question 64

Your company has a main office in London that contains 100 client computers.

Three years ago, you migrated to Azure Active Directory (Azure AD).

The company's security policy states that all personal devices and corporate-owned devices must be registered or joined to Azure AD.

A remote user named User1 is unable to join a personal device to Azure AD from a home network.

You verify that other users can join their devices to Azure AD.

You need to ensure that User1 can join the device to Azure AD.

What should you do?

- ☐ From the Device settings blade, modify the Users may join devices to Azure AD setting.
- ☐ From the Device settings blade, modify the Maximum number of devices per user setting.
- ☐ Create a point-to-site VPN from the home network of User1 to Azure.
- ☐ Assign the User administrator role to User1.

Question 65

You have an Azure DNS zone named adatum.com.
You need to delegate a subdomain named research.adatum.com to a different DNS server in Azure.


What should you do?

- ☐ Create an A record named *.research in the adatum.com zone.
- ☐ Create a PTR record named research in the adatum.com zone.
- ☐ Modify the SOA record of adatum.com.
- ☐ Create an NS record named research in the adatum.com zone.

Licensed to Berend Post berend.post@it-university.nl

Question 66

From the MFA Server blade, you open the Block/unblock users blade as shown in the exhibit.



What caused AlexW to be blocked?

- ☐ The user account password expired.
- ☐ The user entered an incorrect PIN four times within 10 minutes.
- ☐ An administrator manually blocked the user.
- ☐ The user reported a fraud alert when prompted for additional authentication.

Question 67

You have an Azure Active Directory (Azure AD) tenant named contosocloud.onmicrosoft.com.
Your company has a public DNS zone for contoso.com.
You add contoso.com as a custom domain name to Azure AD.

You need to ensure that Azure can verify the domain name.

Which type of DNS record should you create?

- ☐ SRV
- ☐ PTR
- ☐ RRSIG
- ☐ TXT

Licensed to Berend Post berend.post@it-university.nl

Question 68

You have two Azure Active Directory (Azure AD) tenants named contoso.com and fabrikam.com.

You have a Microsoft account that you use to sign in to both tenants.

You need to configure the default sign-in tenant for the Azure portal.

What should you do?

- ☐ From Azure Cloud Shell, run Set-AzureRmSubscription.
- ☐ From Azure Cloud Shell, run Set-AzureRmContext.
- ☐ From the Azure portal, configure the portal settings.
- ☐ From the Azure portal, change the directory.

Question 69

You have an Azure Active Directory (Azure AD) tenant named contoso.onmicrosoft.com.
You hire a temporary vendor. The vendor uses a Microsoft account that has a sign-in of user1@outlook.com.
You need to ensure that the vendor can authenticate to the tenant by using user1@outlook.com.

What should you do?

- ☐ From the Azure portal, add a custom domain name, create a new Azure AD user, and then specify user1@outlook.com as the username.
- ☐ From Azure Cloud Shell, run the New-AzureADUser cmdlet and specify the
- ☐ –UserPrincipalName user1@outlook.com parameter.
- ☐ From the Azure portal, add a new guest user, and then specify user1@outlook.com as the email address.
- ☐ From Windows PowerShell, run the New-AzureADUser cmdlet and specify the
- ☐ –UserPrincipalName user1@outlook.com parameter.

Licensed to Berend Post berend.post@it-university.nl

Question 70

You have an Active Directory forest named contoso.com.

You install and configure Azure AD Connect to use password hash synchronization as the single sign-on (SSO) method. Staging mode is enabled.

You review the synchronization results and discover that the Synchronization Service Manager does not display any sync jobs.

You need to ensure that the synchronization completes successfully.

What should you do?

- ☐ Run Azure AD Connect and set the SSO method to Pass-through Authentication.
- ☐ From Synchronization Service Manager, run a full import.
- ☐ From Azure PowerShell, run Start-AdSyncSyncCycle –PolicyType Initial.
- ☐ Run Azure AD Connect and disable staging mode.

Question 71

You sign up for Azure Active Directory (Azure AD) Premium.

You need to add a user named admin1@contoso.com as an administrator on all the computers that will be joined to the Azure AD domain.

What should you configure in Azure AD?

- ☐ Providers from the MFA Server blade
- ☐ Device settings from the Groups blade
- ☐ General settings from the Groups blade
- ☐ User settings from the Users blade

Licensed to Berend Post berend.post@it-university.nl

Question 72

You have an Azure Active Directory (Azure AD) tenant.

All administrators must enter a verification code to access the Azure portal.

You need to ensure that the administrators can access the Azure portal only from your on-premises network.

What should you configure?

- ☐ an Azure AD Identity Protection user risk policy.
- ☐ the multi-factor authentication service settings.
- ☐ the default for all the roles in Azure AD Privileged Identity Management
- ☐ an Azure AD Identity Protection sign-in risk policy

Question 73

You have an Azure Active Directory (Azure AD) tenant named contosocloud.onmicrosoft.com.
Your company has a public DNS zone for contoso.com.
You add contoso.com as a custom domain name to Azure AD.

You need to ensure that Azure can verify the domain name.

Which type of DNS record should you create?

- ☐ MX
- ☐ SRV
- ☐ DNSKEY
- ☐ NSEC

Licensed to Berend Post berend.post@it-university.nl

Question 74

Your company has an Azure Active Directory (Azure AD) tenant named contoso.com that is configured for hybrid coexistence with the on-premises Active Directory domain. The tenant contains the users shown in the following table.

Name	User Type	Source	Sign-in
User1	Member	Azure AD	User1@contoso.com
User2	Member	Windows Server Active Directory	User2@contoso.com
User3	Guest	Multiple	User3@outlook.com
User4	Guest	Multiple	User4@gmail.com

Whenever possible, you need to enable Azure Multi-Factor Authentication (MFA) for the users in contoso.com.

Which users should you enable for Azure MFA?

- ☐ User1 only
- ☐ User1, User2, and User3 only
- ☐ User1 and User2 only
- ☐ User1, User2, User3, and User4
- ☐ User2 only

Licensed to Berend Post berend.post@it-university.nl

Question 75

HOTSPOT

You have an Azure Active Directory (Azure AD) tenant named adatum.com. Adatum.com contains the groups in the following table:

Name	Group Type	Membership type	Membership rule
Group1	Security	Dynamic user	(user.city -startsWith "m")
Group2	Microsoft Office 365	Dynamic user	(user.department -notIn ["human resources"])
Group3	Microsoft Office 365	Assigned	*Not applicable*

You create two user accounts that are configured as shown in the following table.

Name	City	Department	Office 365 license assigned
User1	Montreal	Human resources	Yes
User2	Melbourne	Marketing	No

To which groups do User1 and User2 belong? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Licensed to Berend Post berend.post@it-university.nl

Answer Area

User1:

- Group1 only
- Group2 only
- Group3 only
- Group1 and Group2 only
- Group1 and Group3 only
- Group2 and Group3 only
- Group1, Group2, and Group3

User2:

- Group1 only
- Group2 only
- Group3 only
- Group1 and Group2 only
- Group1 and Group3 only
- Group2 and Group3 only
- Group1, Group2, and Group3

Licensed to Berend Post berend.post@it-university.nl

Question 76

SIMULATION

Please wait while the virtual machine loads. Once loaded, you may proceed to the lab section. This may take a few minutes, and the wait time will not be deducted from your overall test time.

When the Next button is available, click it to access the lab section. In this section, you will perform a set of tasks in a live environment. While most functionality will be available to you as it would be in a live environment, some functionality (e.g, copy and paste, ability to navigate to external websites) will not be possible by design.


Scoring is based on the outcome of performing the tasks stated in the lab. In other words, it doesn't matter how you accomplish the task, if you successfully perform it, you will earn credit for that task.

Labs are not timed separately, and this exam may have more than one lab that you must complete. You can use as much time as you would like to complete each lab. But, you should manage your time appropriately to ensure that you are able to complete the lab(s) and all other sections of the exam in the time provided.

Please note that once you submit your work by clicking the Next button within a lab, you will NOT be able to return to the lab.

You may now click next to proceed to the lab.

Licensed to Berend Post berend.post@it-university.nl



Task 7

You plan to deploy several Azure virtual machines and to connect them to a virtual network named VNET1007.

You need to ensure that future virtual machines on VNET1007 can register their name in an internal DNS zone named corp9172795.com. The zone must NOT be hosted on a virtual machine.

What should you do from Azure Cloud Shell?

To complete this task, start Azure Cloud Shell and select PowerShell (Linux). Click Show Advanced Settings, and then enter corp9172795n1 in the Storage account text box and File1 in the File share text box. Click Create storage, and then complete the task.

Licensed to Berend Post berend.post@it-university.nl

Case Study (1 questions)

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an AllInformation tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.
Overview

Contoso, Ltd. is a consulting company that has a main office in Montreal and two branch offices in Seattle and New York.

The Montreal office has 2,000 employees. The Seattle office has 1,000 employees. The New York office has 200 employees.

All the resources used by Contoso are hosted on-premises.

Contoso creates a new Azure subscription. The Azure Active Directory (Azure AD) tenant uses a domain named contoso.onmicrosoft.com. The tenant uses the P1 pricing tier.

Existing Environment

The network contains an Active Directory forest named contoso.com. All domain controllers are configured as DNS servers and host the contoso.com DNS zone.

Contoso has finance, human resources, sales, research, and information technology departments. Each department has an organizational unit (OU) that contains all the accounts of that respective department. All the user accounts have the department attribute set to their respective department. New users are added frequently.

Licensed to Berend Post berend.post@it-university.nl

Contoso.com contains a user named User1.

All the offices connect by using private links.

Contoso has data centers in the Montreal and Seattle offices. Each data center has a firewall that can be configured as a VPN device.

All infrastructure servers are virtualized. The virtualization environment contains the servers in the following table.

Name	Role	Contains virtual machine
Server1	VMWare vCenter server	VM1
Server2	Hyper-V-host	VM2

Contoso uses two web applications named App1 and App2. Each instance on each web application requires 1GB of memory.

The Azure subscription contains the resources in the following table.

Name	Type
VNet1	Virtual network
VM3	Virtual machine
VM4	Virtual machine

The network security team implements several network security groups (NSGs).

Planned Changes

Contoso plans to implement the following changes:

Deploy Azure ExpressRoute to the Montreal office.
Migrate the virtual machines hosted on Server1 and Server2 to Azure.
Synchronize on-premises Active Directory to Azure Active Directory (Azure AD).
Migrate App1 and App2 to two Azure web apps named WebApp1 and WebApp2.
Technical requirements

Contoso must meet the following technical requirements:

Ensure that WebApp1 can adjust the number of instances automatically based on the load and can scale up to five instances.
Ensure that VM3 can establish outbound connections over TCP port 8080 to the applications servers in the Montreal office.
Ensure that routing information is exchanged automatically between Azure and the routers in the Montreal office.
Ensure Azure Multi-Factor Authentication (MFA) for the users in the finance department only.
Ensure that webapp2.azurewebsites.net can be accessed by using the name app2.contoso.com
Connect the New York office to VNet1 over the Internet by using an encrypted connection.
Create a workflow to send an email message when the settings of VM4 are modified.
Create a custom Azure role named Role1 that is based on the Reader role.

Licensed to Berend Post berend.post@it-university.nl

Minimize costs whenever possible.

Question 77

You need to recommend a solution to automate the configuration for the finance department users. The solution must meet the technical requirements.

What should you include in the recommendation?

- ☐ Azure AD B2C
- ☐ Azure AD Identity Protection
- ☐ an Azure logic app and the Microsoft Identity Management (MIM) client
- ☐ dynamic groups and conditional access policies

Licensed to Berend Post berend.post@it-university.nl

Case Study (1 questions)

Case study

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an AllInformation tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.
Overview

Humongous Insurance is an insurance company that has three offices in Miami, Tokyo and Bangkok. Each office has 5,000 users.

Existing Environment
Active Directory Environment

Humongous Insurance has a single-domain Active Directory forest named humongousinsurance.com. The functional level of the forest is Windows Server 2012.

You recently provisioned an Azure Active Directory (Azure AD) tenant.

Network Infrastructure

Each office has a local data center that contains all the servers for that office. Each office has a dedicated connection to the Internet.

Each office has several link load balancers that provide access to the servers.

Active Directory Issue

Several users in humongousinsurance.com have UPNs that contain special characters.

Licensed to Berend Post berend.post@it-university.nl

You suspect that some of the characters are unsupported in Azure AD.

Licensing Issue

You attempt to assign a license in Azure to several users and receive the following error message: "Licenses not assigned. License assignment failed for one user."

You verify that the Azure subscription has the available licenses.

Requirements
Planned Changes

Humongous Insurance plans to open a new office in Paris. The Paris office will contain 1,000 users who will be hired during the next 12 months. All the resources used by the Paris office users will be hosted in Azure.

Planned Azure AD Infrastructure

The on-premises Active Directory domain will be synchronized to Azure AD.

All client computers in the Paris office will be joined to an Azure AD domain.

Planned Azure Networking Infrastructure

You plan to create the following networking resources in a resource group named All_Resources:

Default Azure system routes that will be the only routes used to route traffic
A virtual network named Paris-VNet that will contain two subnets named Subnet1 and Subnet2
A virtual network named ClientResources-VNet that will contain one subnet named ClientSubnet
A virtual network named AllOffices-VNet that will contain two subnets named Subnet3 and Subnet4

You plan to enable peering between Paris-VNet and AllOffices-VNet. You will enable the Use remote gateways setting for the Paris-VNet peerings.

You plan to create a private DNS zone named humongousinsurance.local and set the registration network to the ClientResources-VNet virtual network.

Planned Azure Computer Infrastructure

Each subnet will contain several virtual machines that will run either Windows Server 2012 R2, Windows Server 2016, or Red Hat Linux.

Department Requirements

Humongous Insurance identifies the following requirements for the company's departments:

Licensed to Berend Post berend.post@it-university.nl

Web administrators will deploy Azure web apps for the marketing department. Each web app will be added to a separate resource group. The initial configuration of the web apps will be identical. The web administrators have permission to deploy web apps to resource groups.
During the testing phase, auditors in the finance department must be able to review all Azure costs from the past week.
Authentication Requirements

Users in the Miami office must use Azure Active Directory Seamless Single Sign-on (Azure AD Seamless SSO) when accessing resources in Azure.

Question 78

You need to prepare the environment to meet the authentication requirements.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ Install the Active Directory Federation Services (AD FS) role on a domain controller in the Miami office.
- ☐ Allow inbound TCP port 8080 to the domain controllers in the Miami office.
- ☐ Join the client computers in the Miami office to Azure AD.
- ☐ Add http://autologon.microsoftazuread-sso.com to the intranet zone of each client computer in the Miami office.
- ☐ Install Azure AD Connect on a server in the Miami office and enable Pass-through Authentication.

Licensed to Berend Post berend.post@it-university.nl