vce trainer



AZ-400.67q

AZ-400

AZ-400

Microsoft Azure DevOps Solutions

Score: 800/1000

Version:

Time Limit: 120 Minutes

Licensed to Berend Post berend.post@it-university.nl

Design a DevOps Strategy

(7 questions)

Question 1

Your development team is building a new web solution by using the Microsoft Visual Studio integrated development environment (IDE).

You need to make a custom package available to all the developers. The package must be managed centrally, and the latest version must be available for consumption in Visual Studio automatically.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ Publish the package to a feed.
- ☐ Create a new feed in Azure Artifacts.
- ☐ Upload a package to a Git repository.
- ☐ Add the package URL to the Environment settings in Visual Studio.
- ☐ Add the package URL to the NuGet Package Manager settings in Visual Studio.
- ☐ Create a Git repository in Azure Repos.

Question 2

You manage build pipelines and deployment pipelines by using Azure DevOps.

Your company has a team of 500 developers. New members are added continually to the team.

You need to automate the management of users and licenses whenever possible.

Which task must you perform manually?

- ☐ modifying group memberships
- ☐ adding users
- ☐ assigning entitlements
- ☐ procuring licenses

Licensed to Berend Post berend.post@it-university.nl

Question 3

You are developing a multi-tier application. The application will use Azure App Service web apps as the front end and an Azure SQL database as the back end. The application will use Azure functions to write some data to Azure Storage.

You need to send the Azure DevOps team an email message when the front end fails to return a status code of 200.

Which feature should you use?

- ☐ Service Map in Azure Log Analytics
- ☐ Availability tests in Azure Application Insights
- ☐ Profiler in Azure Application Insights
- ☐ Application Map in Azure Application Insights

Question 4

Your company has an on-premises Bitbucket Server that is used for Git-based source control. The server is protected by a firewall that blocks inbound Internet traffic.

You plan to use Azure DevOps to manage the build and release processes.

Which two components are required to integrate Azure DevOps and Bitbucket? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ a deployment group
- ☐ a Microsoft-hosted agent
- ☐ service hooks
- ☐ a self-hosted agent
- ☐ an External Git service connection

Question 5

During a code review, you discover many quality issues. Many modules contain unused variables and empty catch blocks.

You need to recommend a solution to improve the quality of the code.

What should you recommend?

- ☐ In a Grunt build task, select Enabled from Control Options.
- ☐ In a Maven build task, select Run PMD.
- ☐ In a Xcode build task, select Use xcpretty from Advanced.
- ☐ In a Gradle build task, select Run Checkstyle.

Licensed to Berend Post berend.post@it-university.nl

Question 6

Your company plans to use an agile approach to software development.

You need to recommend an application to provide communication between members of the development team who work in locations around the world. The applications must meet the following requirements:

Provide the ability to isolate the members of different project teams into separate communication channels and to keep a history of the chats within those channels.
Be available on Windows 10, Mac OS, iOS, and Android operating systems.
Provide the ability to add external contractors and suppliers to projects.
Integrate directly with Azure DevOps.

What should you recommend?

- ☐ Microsoft Project
- ☐ Bamboo
- ☐ Microsoft Lync
- ☐ Microsoft Teams
- ☐ Octopus

Question 7

Your company plans to use an agile approach to software development.

You need to recommend an application to provide communication between members of the development team who work in locations around the world. The applications must meet the following requirements:

Provide the ability to isolate the members of different project teams into separate communication channels and to keep a history of the chats within those channels.
Be available on Windows 10, Mac OS, iOS, and Android operating systems.
Provide the ability to add external contractors and suppliers to projects.
Integrate directly with Azure DevOps.

What should you recommend?

- ☐ Microsoft Project
- ☐ Bamboo
- ☐ Octopus
- ☐ Slack

Licensed to Berend Post berend.post@it-university.nl

Implement DevOps Development Processes

(16 questions)

Question 8

Your company uses Azure DevOps.

Only users who have accounts in Azure Active Directory can access the Azure DevOps environment.

You need to ensure that only devices that are connected to the on-premises network can access the Azure DevOps environment.

What should you do?

- ☐ Assign the Stakeholder access level all users.
- ☐ In Azure Active Directory, configure risky sign-ins.
- ☐ In Azure DevOps, configure Security in Project Settings.
- ☐ In Azure Active Directory, configure conditional access.

Question 9

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to recommend an integration strategy for the build process of a Java application. The solution must meet the following requirements:

The builds must access an on-premises dependency management system.
The build outputs must be stored as Server artifacts in Azure DevOps.
The source code must be stored in a Git repository in Azure DevOps.

Solution: Configure an Octopus Tentacle on an on-premises machine. Use the Package Application task in the build pipeline.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 10

Your team uses an agile development approach.

You need to recommend a branching strategy for the team's Git repository. The strategy must meet the following requirements.

Provide the ability to work on multiple independent tasks in parallel.
Ensure that checked-in code remains in a releasable state always.
Ensure that new features can be abandoned at any time.
Encourage experimentation.

What should you recommend?

- ☐ a single long-running branch
- ☐ multiple long-running branches
- ☐ a single fork per team member
- ☐ a single-running branch with multiple short-lived topic branches

Question 11

You have an Azure Resource Manager template that deploys a multi-tier application.

You need to prevent the user who performs the deployment from viewing the account credentials and connection strings used by the application.

What should you use?

- ☐ Azure Key Vault
- ☐ a Web.config file
- ☐ an Appsettings.json file
- ☐ an Azure Storage table
- ☐ an Azure Resource Manager parameter file

Licensed to Berend Post berend.post@it-university.nl

Question 12

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You integrate a cloud-hosted Jenkins server and a new Azure DevOps deployment.

You need Azure DevOps to send a notification to Jenkins when a developer commits changes to a branch in Azure Repos.

Solution: You create a service hook subscription that uses the code pushed event.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 13

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to recommend an integration strategy for the build process of a Java application. The solution must meet the following requirements:

The builds must access an on-premises dependency management system.
The build outputs must be stored as Server artifacts in Azure DevOps.
The source code must be stored in a Git repository in Azure DevOps.

Solution: Install and configure a self-hosted build agent on an on-premises machine. Configure the build pipeline to use the Default agent pool. Include the Java Tool Installer task in the build pipeline.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 14

You have a branch policy in a project in Azure DevOps. The policy requires that code always builds successfully.

You need to ensure that a specific user can always merge changes to the master branch, even if the code fails to compile. The solution must use the principle of least privilege.

What should you do?

- ☐ Add the user to the Build Administrators group.
- ☐ Add the user to the Project Administrators group.
- ☐ From the Security settings of the repository, modify the access control for the user.
- ☐ From the Security settings of the branch, modify the access control for the user.

Question 15

Your company has a project in Azure DevOps for a new web application.

The company identifies security as one of the highest priorities.

You need to recommend a solution to minimize the likelihood that infrastructure credentials will be leaked.

What should you recommend?

- ☐ Add a Run Inline Azure PowerShell task to the pipeline.
- ☐ Add a PowerShell task to the pipeline and run Set-AzureKeyVaultSecret.
- ☐ Add a Azurre Key Vault task to the pipeline.
- ☐ Add Azure Key Vault references to Azure Resource Manger templates.

Question 16

Your company uses cloud-hosted Jenkins for builds.

You need to ensure that Jenkins can retrieve source code from Azure Repos.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ Create a webhook in Jenkins.
- ☐ Add the Team Foundation Server (TFS) plug-in to Jenkins.
- ☐ Add a domain to your Jenkins account.
- ☐ Create a personal access token in your Azure DevOps account.
- ☐ Create a service hook in Azure DevOps.

Licensed to Berend Post berend.post@it-university.nl

Question 17

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You integrate a cloud-hosted Jenkins server and a new Azure DevOps deployment.

You need Azure DevOps to send a notification to Jenkins when a developer commits changes to a branch in Azure Repos.

Solution: You create an email subscription to an Azure DevOps notification.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 18

DRAG DROP

You are configuring Azure Pipelines for three projects in Azure DevOps as shown in the following table.

Project name	Project Details
Project1	The project team provides preconfigured YAML files that it wants to use to manage future pipeline configuration changes.
Project2	The sensitivity of the project requires that the source code be hosted on the managed Windows server on your company's network.
Project3	The project team requires a centralized version control system to ensure that developers work with the most recent version.

Which version control system should you recommend for each project? To answer, drag the appropriate version control systems to the correct projects. Each version control system may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Version Control Systems

- Assembla Subversion
- Bitbucket Cloud
- Git in Azure Repos
- GitHub Enterprise

Answer Area

Project1: [ ]

Project2: [ ]

Project3: [ ]

Licensed to Berend Post berend.post@it-university.nl

Question 19

Your company uses a Git repository in Azure Repos to manage the source code of a web application. The master branch is protected from direct updates. Developers work on new features in the topic branches.

Because of the high volume of requested features, it is difficult to follow the history of the changes to the master branch.

You need to enforce a pull request merge strategy. The strategy must meet the following requirements:

Consolidate commit histories.
Merge the changes into a single commit.

Which merge strategy should you use in the branch policy?

- ☐ squash merge
- ☐ fast-forward merge
- ☐ Git fetch
- ☐ no-fast-forward merge

Question 20

You are automating the build process for a Java-based application by using Azure DevOps.

You need to add code coverage testing and publish the outcomes to the pipeline.

What should you use?

- ☐ Cobertura
- ☐ Bullseye Coverage
- ☐ MSTest
- ☐ Coverlet
- ☐ NUnit
- ☐ Coverage.py

Licensed to Berend Post berend.post@it-university.nl

Question 21

You are automating the testing process for your company.

You need to automate UI testing of a web application.

Which framework should you use?

- ☐ JaCoco
- ☐ Selenium
- ☐ Xamarin.UITest
- ☐ Microsoft.CodeAnalysis

Question 22

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You integrate a cloud-hosted Jenkins server and a new Azure DevOps deployment.

You need Azure DevOps to send a notification to Jenkins when a developer commits changes to a branch in Azure Repos.

Solution: You add a trigger to the build pipeline.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 23

You have an Azure DevOps organization named Contoso, an Azure DevOps project named Project1, an Azure subscription named Sub1, and an Azure key vault named vault1.

You need to ensure that you can reference the values of the secrets stored in vault1 in all the pipelines of Project1. The solution must prevent the values from being stored in the pipelines.

What should you do?

- ☐ Create a variable group in Project1.
- ☐ Add a secure file to Project1.
- ☐ Modify the security settings of the pipelines.
- ☐ Configure the security policy of Contoso.

Licensed to Berend Post berend.post@it-university.nl

Implement Continuous Integration

Case Study (2 questions)

Case Study
This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other question on this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next sections of the exam. After you begin a new section, you cannot return to this section.

To start the case study
To display the first question on this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. If the case study has an All Information tab, note that the information displayed is identical to the information displayed on the subsequent tabs. When you are ready to answer a question, click the Question button to return to the question.
Overview

Contoso, Ltd. is a manufacturing company that has a main office in Chicago.

Existing Environment

Contoso plans to improve its IT development and operations processes by implementing Azure DevOps principles. Contoso has an Azure subscription and creates an Azure DevOps organization.

The Azure DevOps organization includes:

The Docker extension
A deployment pool named Pool7 that contains 10 Azure virtual machines that run Windows Server 2016

The Azure subscription contains an Azure Automation account.

Requirements
Planned changes

Contoso plans to create projects in Azure DevOps as shown in the following table.

 Licensed to Berend Post berend.post@it-university.nl

Project name	Project details
Project 1	Project1 will provide support for incremental builds and third-party SDK components
Project 2	Project2 will use an automatic build policy. A small team of developers named Team2 will work independently on changes to the project. The Team2 members will not have permissions to Project2.
Project 3	Project3 will be integrated with SonarQube
Project 4	Project4 will provide support for a build pipeline that creates a Docker image and pushes the image to the Azure Container Registry. Project4 will use an existing Dockerfile.
Project 5	Project5 will contain a Git repository in Azure Reports and a continuous integration trigger that will initiate a build in response to any change except for changes within /folder1 of the repository.
Project 6	Project6 will provide support for build and deployment pipelines. Deployment will be allowed only if the number of current work items representing active software bugs is 0.
Project 7	Project7 will contain a target deployment group named Group7 that maps to Pool7. Project7 will use Azure Automation State Configuration to maintain the desired state of the computers in Group7.

Technical requirements

Contoso identifies the following technical requirements:

Implement build agents for Project1.
Whenever possible, use Azure resources.
Avoid using deprecated technologies.
Implement a code flow strategy for Project2 that will:
-Enable Team2 to submit pull requests for Project2.
-Enable Team2 to work independently on changes to a copy of Project2.
-Ensure that any intermediary changes performed by Team2 on a copy of Project2 will be subject to the same restrictions as the ones defined in the build policy of Project2.
Whenever possible implement automation and minimize administrative effort.
Implement Project3, Project5, Project6, and Project7 based on the planned changes
Implement Project4 and configure the project to push Docker images to Azure Container Registry.

Question 24

In Azure DevOps, you create Project3.

You need to meet the requirements of the project.

What should you do first?

- ☐ From Azure DevOps, modify the build definition.
- ☐ From SonarQube, obtain an authentication token.
- ☐ From Azure DevOps, create a service endpoint.
- ☐ From SonarQube, create a project.

Licensed to Berend Post berend.post@it-university.nl

Question 25

You need to implement Project4.

What should you do first?

- ☐ Add the FROM instruction in the Dockerfile file.
- ☐ Add a Copy and Publish Build Artifacts task to the build pipeline.
- ☐ Add a Docker task to the build pipeline.
- ☐ Add the MAINTAINER instruction in the Dockerfile file.

(15 questions)

Question 26

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a project in Azure DevOps for a new web application.

You need to ensure that when code is checked in, a build runs automatically.

Solution: From the Triggers tab of the build pipeline, you select Enable continuous integration.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 27

You are developing an open source solution that uses a GitHub repository.

You create a new public project in Azure DevOps.

You plan to use Azure Pipelines for continuous build. The solution will use the GitHub Checks API.

Which authentication type should you use?

- ☐ OAuth
- ☐ GitHub App
- ☐ a personal access token
- ☐ SAML

Question 28

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a project in Azure DevOps for a new web application.

You need to ensure that when code is checked in, a build runs automatically.

Solution: From the Continuous deployment trigger settings of the release pipeline, you enable the Pull request trigger setting.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 29

Your company is building a new solution in Java.

The company currently uses a SonarQube server to analyze the code of .NET solutions.

You need to analyze and monitor the code quality of the Java solution.

Which task types should you add to the build pipeline?

- ☐ Chef
- ☐ Gradle
- ☐ Octopus
- ☐ Gulp

Question 30

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a project in Azure DevOps for a new web application.

You need to ensure that when code is checked in, a build runs automatically.

Solution: From the Pre-deployment conditions settings of the release pipeline, you select Batch changes while a build is in progress.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 31

You have a project in Azure DevOps. You have an Azure Resource Group deployment project in Microsoft Visual Studio that is checked in to the Azure DevOps project.

You need to create a release pipeline that will deploy resources by using Azure Resource Manager templates. The solution must minimize administrative effort.

Which task type should you include in the solution?

- ☐ Azure Cloud Service Deployment
- ☐ Azure RM Web App Deployment
- ☐ Azure PowerShell
- ☐ Azure App Service Manage

Question 32

Your company has a hybrid cloud between Azure and Azure Stack.

The company uses Azure DevOps for its full CI/CD pipelines. Some applications are built by using Erlang and Hack.

You need to ensure that Erlang and Hack are supported as part of the build strategy across the hybrid cloud. The solution must minimize management overhead.

What should you use to execute the build pipeline?

- ☐ a Microsoft-hosted agent
- ☐ Azure DevOps self-hosted agents on Azure DevTest Labs virtual machines.
- ☐ Azure DevOps self-hosted agents on Hyper-V virtual machines
- ☐ Azure DevOps self-hosted agents on virtual machines that run on Azure Stack

Licensed to Berend Post berend.post@it-university.nl

Question 33

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a project in Azure DevOps for a new web application.

You need to ensure that when code is checked in, a build runs automatically.

Solution: From the Pre-deployment conditions settings of the release pipeline, you select After stage.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 34

Your company develops a client banking application that processes a large volume of data.

Code quality is an ongoing issue for the company. Recently, the code quality has deteriorated because of an increase in time pressure on the development team.

You need to implement static code analysis.

During which phase should you use static code analysis?

- ☐ integration testing
- ☐ staging
- ☐ production release
- ☐ build

Licensed to Berend Post berend.post@it-university.nl

Question 35

Your company uses Azure DevOps for the build pipelines and deployment pipelines of Java-based projects.

You need to recommend a strategy for managing technical debt.

Which two actions should you include in the recommendation? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ Configure post-deployment approvals in the deployment pipeline.
- ☐ Configure pre-deployment approvals in the deployment pipeline.
- ☐ Integrate Azure DevOps and SonarQube.
- ☐ Integrate Azure DevOps and Azure DevTest Labs.

Question 36

Your company has a project in Azure DevOps.

You need to ensure that when there are multiple builds pending deployment, only the most recent build is deployed.

What should you use?

- ☐ deployment conditions
- ☐ deployment queue settings
- ☐ release gates
- ☐ pull request triggers

Licensed to Berend Post berend.post@it-university.nl

Question 37

You have an Azure DevOps organization named Contoso and an Azure DevOps project named Project1.

You plan to use Microsoft-hosted agents to build container images that will host full Microsoft .NET Framework apps in a YAML pipeline in Project1.

What are two possible virtual machine images that you can use for the Microsoft-hosted agent pool? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- ☐ vs2017-win2016
- ☐ ubuntu-16.04
- ☐ win1803
- ☐ macOS-10.13
- ☐ vs.2015-win2012r2

Question 38

You plan to create an image that will contain a .NET Core application.

You have a Dockerfile file that contains the following code. (Line numbers are included for reference only.)

```
01 FROM microsoft/dotnet:2.1-sdk
02 COPY ./
03 RUN dotnet publish -c Release -o out
04 FROM microsoft/dotnet:2.1-sdk
05 COPY -from=0 /out /
06 WORKDIR /
07 ENTRYPOINT ["dotnet", "appl.dll"]
```

You need to ensure that the image is as small as possible when the image is built.

Which line should you modify in the file?

- ☐ 1
- ☐ 3
- ☐ 4
- ☐ 7

Licensed to Berend Post berend.post@it-university.nl

Question 39


HOTSPOT

You currently use JIRA, Jenkins, and Octopus as part of your DevOps processes.

You plan to use Azure DevOps to replace these tools.

Which Azure DevOps service should you use to replace each tool? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



Licensed to Berend Post berend.post@it-university.nl

Question 40

Your company deploys applications in Docker containers.

You want to detect known exploits in the Docker images used to provision the Docker containers.

You need to integrate image scanning into the application lifecycle. The solution must expose the exploits as early as possible during the application lifecycle.

What should you configure?

- ☐ a task executed in the continuous integration pipeline and a scheduled task that analyzes the image registry
- ☐ manual tasks performed during the planning phase and the deployment phase
- ☐ a task executed in the continuous deployment pipeline and a scheduled task against a running production container
- ☐ a task executed in the continuous integration pipeline and a scheduled task that analyzes the production container

Licensed to Berend Post berend.post@it-university.nl

Implement Continuous Delivery

(12 questions)

Question 41

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an approval process that contains a condition. The condition requires that releases be approved by a team leader before they are deployed.

You have a policy stating that approvals must occur within eight hours.

You discover that deployment fail if the approvals take longer than two hours.

You need to ensure that the deployments only fail if the approvals take longer than eight hours.

Solution: From Post-deployment conditions, you modify the Timeout setting for post-deployment approvals.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 42

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure DevOps project.

Your build process creates several artifacts.

You need to deploy the artifacts to on-premises servers.

Solution: You deploy a Kubernetes cluster on-premises. You deploy a Helm agent to the cluster. You add a Download Build Artifacts task to the deployment pipeline.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 43

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure DevOps project.

Your build process creates several artifacts.

You need to deploy the artifacts to on-premises servers.

Solution: You deploy a Docker build to an on-premises server. You add a Download Build Artifacts task to the deployment pipeline.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 44

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an approval process that contains a condition. The condition requires that releases be approved by a team leader before they are deployed.

You have a policy stating that approvals must occur within eight hours.

You discover that deployment fail if the approvals take longer than two hours.

You need to ensure that the deployments only fail if the approvals take longer than eight hours.

Solution: From Post-deployment conditions, you modify the Time between re-evaluation of gates option.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 45

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You plan to create a release pipeline that will deploy Azure resources by using Azure Resource Manager templates. The release pipeline will create the following resources:

Two resource groups
Four Azure virtual machines in one resource group
Two Azure SQL databases in other resource group

You need to recommend a solution to deploy the resources.

Solution: Create a main template that has two linked templates, each of which will deploy the resources in its respective group.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 46

Your company has a project in Azure DevOps for a new web application.

The company uses ServiceNow for change management.

You need to ensure that a change request is processed before any components can be deployed to the production environment.

What are two ways to integrate ServiceNow into the Azure DevOps release pipeline? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- ☐ Define a deployment control that invokes the ServiceNow REST API.
- ☐ Define a pre-deployment gate before the deployment to the Prod stage.
- ☐ Define a deployment control that invokes the ServiceNow SOAP API.
- ☐ Define a post-deployment gate after the deployment to the QA stage.

Licensed to Berend Post berend.post@it-university.nl

Question 47

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an approval process that contains a condition. The condition requires that releases be approved by a team leader before they are deployed.

You have a policy stating that approvals must occur within eight hours.

You discover that deployment fail if the approvals take longer than two hours.

You need to ensure that the deployments only fail if the approvals take longer than eight hours.

Solution: From Pre-deployment conditions, you modify the Timeout setting for pre-deployment approvals.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 48

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You plan to create a release pipeline that will deploy Azure resources by using Azure Resource Manager templates. The release pipeline will create the following resources:

Two resource groups
Four Azure virtual machines in one resource group
Two Azure SQL databases in other resource group

You need to recommend a solution to deploy the resources.

Solution: Create two standalone templates, each of which will deploy the resources in its respective group.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 49

This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure DevOps project.

Your build process creates several artifacts.

You need to deploy the artifacts to on-premises servers.

Solution: You deploy an Azure self-hosted agent to an on-premises server. You add a Copy and Publish Build Artifacts task to the deployment pipeline.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 50

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You plan to create a release pipeline that will deploy Azure resources by using Azure Resource Manager templates. The release pipeline will create the following resources:

Two resource groups
Four Azure virtual machines in one resource group
Two Azure SQL databases in other resource group

You need to recommend a solution to deploy the resources.

Solution: Create a single standalone template that will deploy all the resources.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 51

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an approval process that contains a condition. The condition requires that releases be approved by a team leader before they are deployed.

You have a policy stating that approvals must occur within eight hours.

You discover that deployment fail if the approvals take longer than two hours.

You need to ensure that the deployments only fail if the approvals take longer than eight hours.

Solution: From Pre-deployment conditions, you modify the Time between re-evaluation of gates option.

Does this meet the goal?

- ☐ Yes
- ☐ No

Question 52

SIMULATION

You need to ensure that an Azure web app named az400-9940427-main supports rolling upgrades. The solution must ensure that only 10 percent of users who connect to az400-9940427-main use update versions of the app.

The solution must minimize administrative effort.

To complete this task, sign in to the Microsoft Azure portal.

Licensed to Berend Post berend.post@it-university.nl

Implement Dependency Management

(3 questions)

Question 53

You plan to share packages that you wrote, tested, validated, and deployed by using Azure Artifacts.

You need to release multiple builds of each package by using a single feed. The solution must limit the release of packages that are in development.

What should you use?

- ☐ local symbols
- ☐ views
- ☐ global symbols
- ☐ upstream sources

Question 54

Your company is concerned that when developers introduce open source libraries, it creates licensing compliance issues.

You need to add an automated process to the build pipeline to detect when common open source libraries are added to the code base.

What should you use?

- ☐ Microsoft Visual SourceSafe
- ☐ Code Style
- ☐ Black Duck
- ☐ Jenkins
- ☐ SourceGea
- ☐ OWASP ZAP

Licensed to Berend Post berend.post@it-university.nl

Question 55

Your company is concerned that when developers introduce open source libraries, it creates licensing compliance issues.

You need to add an automated process to the build pipeline to detect when common open source libraries are added to the code base.

What should you use?

- ☐ Microsoft Visual SourceSafe
- ☐ PDM
- ☐ WhiteSource
- ☐ OWASP ZAP

Licensed to Berend Post berend.post@it-university.nl

Implement Application Infrastructure

(6 questions)

Question 56

Your company has a project in Azure DevOps for a new application. The application will be deployed to several Azure virtual machines that run Windows Server 2016.

You need to recommend a deployment strategy for the virtual machines. The strategy must meet the following requirements:

Ensure that the virtual machines maintain a consist configuration.
Minimize administrative effort to configure the virtual machines.

What should you include in the recommendation?

- ☐ Azure Resource Manager templates and the PowerShell Desired State Configuration (DSC) extension for Windows
- ☐ Deployment YAML and Azure pipeline deployment groups
- ☐ Azure Resource Manager templates and the Custom Script Extension for Windows
- ☐ Deployment YAML and Azure pipeline stage templates

Question 57

You have an application that consists of several Azure App Service web apps and Azure functions.

You need to access the security of the web apps and the functions.

Which Azure features can you use to provide a recommendation for the security of the application?

- ☐ Security & Compliance in Azure Log Analytics
- ☐ Resource health in Azure Service Health
- ☐ Smart Detection in Azure Application Insights
- ☐ Compute & apps in Azure Security Center

Licensed to Berend Post berend.post@it-university.nl

Question 58

Your company develops an app for iOS. All users of the app have devices that are members of a private distribution group in Microsoft Visual Studio App Center.

You plan to distribute a new release of the app.

You need to identify which certificate file you require to distribute the new release from App Center.

Which file type should you upload to App Center?

- ☐ .cer
- ☐ .pfx
- ☐ .p12
- ☐ .pvk

Question 59

You have a private distribution group that contains provisioned and unprovisioned devices.

You need to distribute a new iOS application to the distribution group by using Microsoft Visual Studio App Center.

What should you do?

- ☐ Request the Apple ID associated with the user of each device.
- ☐ Register the devices on the Apple Developer portal.
- ☐ Create an active subscription in App Center Test.
- ☐ Add the device owner to the organization in App Center.

Question 60

SIMULATION

You need to create a virtual machine template in an Azure DevTest Labs environment named az400-9940427-dtl1. The template must be based on Windows Server 2016 Datacenter. Virtual machines created from the template must include the selenium tool and the Google Chrome browser.

To complete this task, sign in to the Microsoft Azure portal.

Licensed to Berend Post berend.post@it-university.nl

Question 61

SIMULATION

You need to prepare a network security group (NSG) named az400-9940427-nsg1 to host an Azure DevOps pipeline agent. The solution must allow only the required outbound port for Azure DevOps and deny all other inbound and outbound access to the Internet.

To complete this task, sign in to the Microsoft Azure portal.

Licensed to Berend Post berend.post@it-university.nl

Implement Continuous Feedback

(6 questions)

Question 62

You have a multi-tier application that has an Azure Web Apps front end and an Azure SQL Database back end.

You need to recommend a solution to capture and store telemetry data. The solution must meet the following requirements:

Support using ad-hoc queries to identify baselines.
Trigger alerts when metrics in the baseline are exceeded.
Store application and database metrics in a central location.

What should you include in the recommendation?

- ☐ Azure Event Hubs
- ☐ Azure SQL Database Intelligent Insights
- ☐ Azure Application Insights
- ☐ Azure Log Analytics

Licensed to Berend Post berend.post@it-university.nl


Question 63

DRAG DROP

Your company wants to use Azure Application Insights to understand how user behaviors affect an application.

Which application Insights tool should you use to analyze each behavior? To answer, drag the appropriate tools to the correct behaviors. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.



Question 64

Your company creates a web application.

You need to recommend a solution that automatically sends to Microsoft Teams a daily summary of the exceptions that occur in the application.

Which two Azure services should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ Azure Logic Apps
- ☐ Azure Pipelines
- ☐ Microsoft Visual Studio App Center
- ☐ Azure DevOps Project
- ☐ Azure Application Insights

Licensed to Berend Post berend.post@it-university.nl

Question 65

Your company is building a mobile app that targets Android and iOS devices.

Your team uses Azure DevOps to manage all work items and release cycles.

You need to recommend a solution to perform the following tasks:

Collect crash reports for issue analysis.
Distribute beta releases to your testers.
Get user feedback on the functionality of new apps.

What should you include in the recommendation?

- ☐ the Microsoft Test & Feedback extension
- ☐ Microsoft Visual Studio App Center integration
- ☐ Azure Application insights widgets
- ☐ Jenkins integration

Question 66

You use Azure SQL Database Intelligent Insights and Azure Application Insights for monitoring.

You need to write ad-hoc queries against the monitoring data.

Which query language should you use?

- ☐ Azure Log Analytics
- ☐ PL/pgSQL
- ☐ PL/SQL
- ☐ Transact-SQL

Licensed to Berend Post berend.post@it-university.nl

Question 67

You have an Azure DevOps project named Project1 and an Azure subscription named Sub1. Sub1 contains an Azure virtual machine scale set named VMSS1. VMSS1 hosts a web application named WebApp1. WebApp1 uses stateful sessions.

The WebApp1 installation is managed by using the Custom Script extension. The script resides in an Azure Storage account named sa1.

You plan to make a minor change to a UI element of WebApp1 and to gather user feedback about the change.

You need to implement limited user testing for the new version of WebApp1 on VMSS1.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ Modify the load balancer settings of VMSS1.
- ☐ Redeploy VMSS1.
- ☐ Upload a custom script file to sa1.
- ☐ Modify the Custom Script extension settings of VMSS1.
- ☐ Update the configuration of a virtual machine in VMSS1.

Licensed to Berend Post berend.post@it-university.nl