



Reference Solution for MD-101.47q MD-101

MD-101

Managing Modern Desktops (beta)

Score: 800/1000

Version:

Time Limit: 120 Minutes

Deploy and Update Operating Systems

Case Study (1 questions)

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. When you are ready to answer a question, click the Question button to return to the question.

Overview

Contoso, Ltd, is a consulting company that has a main office in Montreal and two branch offices in Seattle and New York.

Contoso has the users and computers shown in the following table.

Location	Users	Laptops	Desktop computers	Mobile devices
Montreal	2,500	2,800	300	3,100
Seattle	1,000	1,100	200	1,500
New York	300	320	30	400

The company has IT, human resources (HR), legal (LEG), marketing (MKG) and finance (FIN) departments.

Contoso uses Microsoft Store for Business and recently purchased a Microsoft 365 subscription.

The company is opening a new branch office in Phoenix. Most of the users in the Phoenix office will work from home.

Existing Environment

The network contains an Active Directory domain named contoso.com that is synced to Microsoft Azure Active Directory (Azure AD).

All member servers run Windows Server 2016. All laptops and desktop computers run Windows 10 Enterprise.

The computers are managed by using Microsoft System Center Configuration Manager. The mobile devices are managed by using Microsoft Intune.

The naming convention for the computers is the department acronym, followed by a hyphen, and then four numbers, for example, FIN-6785. All the computers are joined to the on-premises Active Directory domain.

Each department has an organization unit (OU) that contains a child OU named Computers. Each computer account is in the Computers OU of its respective department.

Intune Configuration

The domain has the users shown in the following table.

Name	Role	Member of
User1	Intune administrator	GroupA
User2	<i>None</i>	GroupB

User2 is a device enrollment manager (DEM) in Intune.

The devices enrolled in Intune are shown in the following table.

Name	Platform	Encryption	Member of
Device1	Android	Disabled	Group1
Device2	iOS	Not applicable	Group2, Group3
Device3	Android	Disabled	Group2, Group3
Device4	iOS	Not applicable	Group2

The device compliance policies in Intune are configured as shown in the following table.

Name	Platform	Require encryption	Assigned
Policy1	Android	Not configured	Yes
Policy2	iOS	Not applicable	Yes
Policy3	Android	Require	Yes

The device compliance policies have the assignments shown in the following table:

Name	Include	Exclude
Policy1	Group3	<i>None</i>
Policy2	Group2	Group3
Policy3	Group1	<i>None</i>

The device limit restrictions in Intune are configured as shown in the following table.

Priority	Name	Device limit	Assigned to
1	Restriction1	15	GroupB
2	Restriction2	10	GroupA
Default	All users	5	All users

Requirements

Planned Changes

Contoso plans to implement the following changes:

Provide new computers to the Phoenix office users. The new computers have Windows 10 Pro preinstalled and were purchased already.

Start using a free Microsoft Store for Business app named App1.

Implement co-management for the computers.

Technical Requirements:

Contoso must meet the following technical requirements:

Ensure that the users in a group named Group4 can only access Microsoft Exchange Online from devices that are enrolled in Intune.

Deploy Windows 10 Enterprise to the computers of the Phoenix office users by using Windows Autopilot.

Monitor the computers in the LEG department by using Windows Analytics.

Create a provisioning package for new computers in the HR department.

Block iOS devices from sending diagnostic and usage telemetry data.

Use the principle of least privilege whenever possible.

Enable the users in the MKG department to use App1.

Pilot co-management for the IT department.

Question 1

You need to prepare for the deployment of the Phoenix office computers.

What should you do first?

- ☒ Extract the hardware ID information of each computer to a CSV file and upload the file from the Devices settings in Microsoft Store for Business.
- ☐ Generalize the computers and configure the Mobility (MDM and MAM) settings from the Azure Active Directory blade in the Azure portal.
- ☐ Generalize the computers and configure the Device settings from the Azure Active Directory blade in the Azure portal.
- ☐ Extract the hardware ID information of each computer to an XLSX file and upload the file from the Devices settings in Microsoft Store for Business.
- ☐ Extract the serial number information of each computer to a CSV file and upload the file from the Microsoft Intune blade in the Azure portal.
- ☐ Extract the hardware ID information of each computer to an XML file and upload the file from the Devices settings in Microsoft Store for Business.

Explanation:

References:

<https://docs.microsoft.com/en-us/microsoft-store/add-profile-to-devices#manage-autopilot-deployment-profiles>

(17 questions)**Question 2**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You have 20 computers that run Windows 10 and are joined to Microsoft Azure Active Directory (Azure AD).

You plan to replace the computers with new computers that run Windows 10. The new computers will be joined to Azure AD.

You need to ensure that the desktop background, the favorites, and the browsing history are available on the new computers.

Solution: You configure roaming user profiles.

Does this meet the goal?

- ☐ Yes
☒ No

Explanation:

References:

<https://docs.microsoft.com/en-us/windows-server/storage/folder-redirection/deploy-roaming-user-profiles>

Question 3

You have the 64-bit computers shown in the following table.

Name	Operating system	Memory	BitLocker Drive Encryption (BitLocker)
Computer1	32-bit version of Windows 7 Service Pack 1 (SP1)	1 GB	Enabled
Computer2	64-bit version of Windows 7 Service Pack 1 (SP1)	4 GB	Enabled
Computer3	32-bit version of Windows 8.1	2 GB	Enabled
Computer4	64-bit version of Windows 8.1	4 GB	Disabled

You plan to perform an in-place upgrade to the 64-bit version of Windows 10.

Which computers can you upgrade to the 64-bit version of Windows 10 in their current state?

- ☒ Computer2 and Computer4 only
- ☐ Computer4 only
- ☐ Computer3 and Computer4 only
- ☐ Computer1, Computer2, Computer3 and Computer4
- ☐ Computer2, Computer3, and Computer4 only

Explanation:

References:

<https://docs.microsoft.com/en-us/windows/deployment/windows-10-deployment-scenarios>

Question 4

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to ensure that feature and quality updates install automatically during a maintenance window.

Solution: From the Maintenance Scheduler settings, you configure Automatic Maintenance Activation Boundary.

Does this meet the goal?

- ☐ Yes
☒ No

Explanation:

Reference:

<https://docs.microsoft.com/en-us/sccm/sum/deploy-use/automatically-deploy-software-updates>

Question 5

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company uses Windows Update for Business.

The research department has several computers that have specialized hardware and software installed.

You need to prevent the video drivers from being updated automatically by using Windows Update.

Solution: From the Device Installation and Restrictions settings in a Group Policy object (GPO), you enable Prevent installation of devices using drivers that match these device setup classes, and then you enter the device GUID.

Does this meet the goal?

- ☐ Yes
☒ No

Explanation:

References:

https://www.stigviewer.com/stig/microsoft_windows_server_2012_member_server/2013-07-25/finding/WN12-CC-000024

Question 6

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company uses Windows Update for Business.

The research department has several computers that have specialized hardware and software installed.

You need to prevent the video drivers from being updated automatically by using Windows Update.

Solution: From the Settings app, you clear the Give me updates for other Microsoft products when I update Windows check box.

Does this meet the goal?

- ☐ Yes
☒ No

Explanation:

References:

https://www.stigviewer.com/stig/microsoft_windows_server_2012_member_server/2013-07-25/finding/WN12-CC-000024

Question 7

Your network contains an Active Directory domain. The domain contains 2,000 computers that run Windows 10.

You implement hybrid Microsoft Azure Active Directory (Azure AD) and Microsoft Intune.

You need to automatically register all the existing computers to Azure AD and enroll the computers in Intune. The solution must minimize administrative effort.

What should you use?

- ☐ An Autodiscover address record.
- ☒ A Windows AutoPilot deployment profile.
- ☐ An Autodiscover service connection point (SCP).
- ☐ A Group Policy object (GPO).

Explanation:

Reference:

<https://techcommunity.microsoft.com/t5/Windows-IT-Pro-Blog/Windows-Autopilot-Hybrid-Azure-AD-join-and-automatic/ba-p/286126>

Question 8

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to ensure that feature and quality updates install automatically during a maintenance window.

Solution: From the Windows Update settings, you enable Configure Automatic Updates, select 3 – Auto download and notify for Install, and then enter a time.

Does this meet the goal?

- ☐ Yes
- ☒ No

Explanation:

References:

<https://docs.microsoft.com/en-us/sccm/sum/deploy-use/automatically-deploy-software-updates>

Question 9

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to ensure that feature and quality updates install automatically during a maintenance window.

Solution: From the Maintenance Scheduler settings, you configure Automatic Maintenance Random Delay.

Does this meet the goal?

- ☒ Yes
☐ No

Explanation:

Reference:

<https://docs.microsoft.com/en-us/sccm/sum/deploy-use/automatically-deploy-software-updates>

Question 10

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You need to ensure that feature and quality updates install automatically during a maintenance window.

Solution: From the Windows Update settings, you enable Configure Automatic Updates, select 4-Auto download and schedule the install, and then enter a time.

Does this meet the goal?

- ☐ Yes
☒ No

Explanation:

Reference:

<https://docs.microsoft.com/en-us/sccm/sum/deploy-use/automatically-deploy-software-updates>

Question 11

HOTSPOT

Your company has an infrastructure that has the following:

- A Microsoft 365 tenant
- An Active Directory forest
- Microsoft Store for Business
- A Key Management Service (KMS) server
- A Windows Deployment Services (WDS) server
- A Microsoft Azure Active Directory (Azure AD) Premium tenant

The company purchases 100 new computers that run Windows 10.

You need to ensure that the new computers are joined automatically to Azure AD by using Windows AutoPilot.

What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Management tool:

☐	Azure Active Directory admin center
☐	Microsoft Store for Business
☐	Volume Activation Management Tool console
☐	Windows Deployment Services console

Required information from each computer:

☐	Device serial number and hardware hash
☐	MAC address and computer name
☐	Volume License Key and computer name

Solution:

Answer Area

Management tool:

Azure Active Directory admin center	
Microsoft Store for Business	
Volume Activation Management Tool console	
Windows Deployment Services console	

Required information from each computer:

Device serial number and hardware hash	
MAC address and computer name	
Volume License Key and computer name	

Explanation:

Reference:

<https://docs.microsoft.com/en-us/intune/enrollment-autopilot>

Question 12

Your company purchases new computers that run Windows 10. The computers have cameras that support Windows Hello for Business.

You configure the Windows Hello for Business Group Policy settings as shown in the following exhibit.

Setting	State	Comment
 Phone Sign-in		
 Allow enumeration of emulated smart card for all users	Not configured	No
 Turn off smart card emulation	Not configured	No
 Use PIN Recovery	Not configured	No
 Use a hardware security device	Not configured	No
 Use biometrics	Enabled	No
 Configure device unlock factors	Not configured	No
 Configure dynamic lock factors	Enabled	No
 Use Windows Hello for Business	Enabled	No
 Use certificate on-premises authentication	Not configured	No

What are two valid methods a user can use to sign in? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☒ Facial recognition
- ☐ A smartwatch that is Bluetooth-enabled
- ☒ A PIN
- ☐ A USB key

Explanation:

Reference:

<https://community.windows.com/en-us/stories/windows-sign-in-options>

<https://fossbytes.com/how-to-unlock-windows-10/>

Question 13

Your network contains an Active Directory domain named contoso.com.

You create a provisioning package named Package1 as shown in the following exhibit.

Steps	Summary
Set up device	Set up device Enter device name: Comp%RAND:1% Share devices: No Remove pre-installed software: No
Set up network	Network settings Network: Wired
Account management	Account management Domain name: Contoso.com Domain user name: contoso\administrator Domain user password: *****
Add applications	Add applications
Add certificates	Add certificates
Finish	Protect your package Protect the content of your package by specifying a password. The password length must be 8-16 characters.

☐ No

What is the maximum number of devices on which you can run Package1 successfully?

- ☐ 1
- ☒ 10
- ☐ 25
- ☐ unlimited

Explanation:

Explanation:

The device name uses a single random number (applied by %RAND:1%). This allows for 10 unique values (0 – 9).

Question 14

You have 10 computers that run Windows 7 and have the following configurations:

A single MBR disk
A disabled TPM chip
Disabled hardware virtualization
UEFI firmware running in BIOS mode
Enabled Data Execution Prevention (DEP)

You plan to upgrade the computers to Windows 10.

You need to ensure that the computers can use Secure Boot.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☒ Convert the MBR disk to a GPT disk
- ☐ Enable the TPM chip.
- ☐ Disable DEP
- ☐ Enable hardware virtualization
- ☒ Convert the firmware from BIOS to UEFI.

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows-hardware/manufacture/desktop/boot-to-uefi-mode-or-legacy-bios-mode>

Question 15

Your company has a Microsoft Azure Active Directory (Azure AD) tenant.

The company has a Volume Licensing Agreement and uses a product key to activate Windows 10.

You plan to deploy Windows 10 Pro to 200 new computers by using the Microsoft Deployment Toolkit (MDT) and Windows Deployment Services (WDS).

You need to ensure that the new computers will be configured to have the correct product key during the installation.

What should you configure?

- ☐ a WDS boot image
- ☒ an MDT task sequence
- ☐ the Device settings in Azure AD
- ☐ a Windows AutoPilot deployment profile

Explanation:

References:

<https://docs.microsoft.com/en-us/windows/deployment/deploy-windows-mdt/deploy-a-windows-10-image-using-mdt#a-href-idsec08astep-8-deploy-the-windows-10-client-image>

Question 16

Your network contains an Active Directory domain that is synced to Microsoft Azure Active Directory (Azure AD). The domain contains 500 laptops that run Windows 8.1 Professional. The users of the laptops work from home.

Your company uses Microsoft Intune, the Microsoft Deployment Toolkit (MDT), and Windows Configuration Designer to manage client computers.

The company purchases 500 licenses for Windows 10 Enterprise.

You verify that the hardware and applications on the laptops are compatible with Windows 10.

The users will bring their laptop to the office, where the IT department will deploy Windows 10 to the laptops while the users wait.

You need to recommend a deployment method for the laptops that will retain their installed applications. The solution must minimize how long it takes to perform the deployment.

What should you include in the recommendation?

- ☒ an in-place upgrade
- ☐ a clean installation by using a Windows Configuration Designer provisioning package
- ☐ Windows AutoPilot
- ☐ a clean installation and the User State Migration Tool (USMT)

Explanation:

References:

<https://docs.microsoft.com/en-us/windows/deployment/windows-10-deployment-scenarios#in-place-upgrade>

Question 17

You have 200 computers that run Windows 10. The computers are joined to Microsoft Azure Active Directory (AD) and enrolled in Microsoft Intune.

You need to enable self-service password reset on the sign-in screen.

Which settings should you configure from the Microsoft Intune blade?

- ☒ Device configuration
- ☐ Device compliance
- ☐ Device enrollment
- ☐ Conditional access

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/tutorial-sspr-windows>

Question 18

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft 365 subscription.

You have 20 computers that run Windows 10 and are joined to Microsoft Azure Active Directory (Azure AD).

You plan to replace the computers with new computers that run Windows 10. The new computers will be joined to Azure AD.

You need to ensure that the desktop background, the favorites, and the browsing history are available on the new computers.

Solution: You configure Enterprise State Roaming.

Does this meet the goal?

- ☒ Yes
- ☐ No

Explanation:

References:

<https://docs.microsoft.com/en-us/azure/active-directory/devices/enterprise-state-roaming-windows-settings-reference>

Policies and Profiles

Case Study (2 questions)

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. When you are ready to answer a question, click the Question button to return to the question.

Overview

Contoso, Ltd, is a consulting company that has a main office in Montreal and two branch offices in Seattle and New York.

Contoso has the users and computers shown in the following table.

Location	Users	Laptops	Desktop computers	Mobile devices
Montreal	2,500	2,800	300	3,100
Seattle	1,000	1,100	200	1,500
New York	300	320	30	400

The company has IT, human resources (HR), legal (LEG), marketing (MKG) and finance (FIN) departments.

Contoso uses Microsoft Store for Business and recently purchased a Microsoft 365 subscription.

The company is opening a new branch office in Phoenix. Most of the users in the Phoenix office will work from home.

Existing Environment

The network contains an Active Directory domain named contoso.com that is synced to Microsoft Azure Active Directory (Azure AD).

All member servers run Windows Server 2016. All laptops and desktop computers run Windows 10 Enterprise.

The computers are managed by using Microsoft System Center Configuration Manager. The mobile devices are managed by using Microsoft Intune.

The naming convention for the computers is the department acronym, followed by a hyphen, and then four numbers, for example, FIN-6785. All the computers are joined to the on-premises Active Directory domain.

Each department has an organization unit (OU) that contains a child OU named Computers. Each computer account is in the Computers OU of its respective department.

Intune Configuration

The domain has the users shown in the following table.

Name	Role	Member of
User1	Intune administrator	GroupA
User2	<i>None</i>	GroupB

User2 is a device enrollment manager (DEM) in Intune.

The devices enrolled in Intune are shown in the following table.

Name	Platform	Encryption	Member of
Device1	Android	Disabled	Group1
Device2	iOS	Not applicable	Group2, Group3
Device3	Android	Disabled	Group2, Group3
Device4	iOS	Not applicable	Group2

The device compliance policies in Intune are configured as shown in the following table.

Name	Platform	Require encryption	Assigned
Policy1	Android	Not configured	Yes
Policy2	iOS	Not applicable	Yes
Policy3	Android	Require	Yes

The device compliance policies have the assignments shown in the following table:

Name	Include	Exclude
Policy1	Group3	<i>None</i>
Policy2	Group2	Group3
Policy3	Group1	<i>None</i>

The device limit restrictions in Intune are configured as shown in the following table.

Priority	Name	Device limit	Assigned to
1	Restriction1	15	GroupB
2	Restriction2	10	GroupA
Default	All users	5	All users

Requirements

Planned Changes

Contoso plans to implement the following changes:

Provide new computers to the Phoenix office users. The new computers have Windows 10 Pro preinstalled and were purchased already.

Start using a free Microsoft Store for Business app named App1.

Implement co-management for the computers.

Technical Requirements:

Contoso must meet the following technical requirements:

Ensure that the users in a group named Group4 can only access Microsoft Exchange Online from devices that are enrolled in Intune.

Deploy Windows 10 Enterprise to the computers of the Phoenix office users by using Windows Autopilot.

Monitor the computers in the LEG department by using Windows Analytics.

Create a provisioning package for new computers in the HR department.

Block iOS devices from sending diagnostic and usage telemetry data.

Use the principle of least privilege whenever possible.

Enable the users in the MKG department to use App1.

Pilot co-management for the IT department.

Question 19

You need to meet the technical requirements for the IT department.

What should you do first?

- ☐ From the Azure Active Directory blade in the Azure portal, enable Seamless single sign-on.
- ☐ From the Configuration Manager console, add an Intune subscription.
- ☒ From the Azure Active Directory blade in the Azure portal, configure the Mobility (MDM and MAM) settings.
- ☐ From the Microsoft Intune blade in the Azure portal, configure the Windows enrollment settings.

Explanation:

Reference:

<https://docs.microsoft.com/en-us/sccm/comanage/tutorial-co-manage-clients>

Question 20

You need to meet the technical requirements for the iOS devices.

Which object should you create in Intune?

- ☐ A compliance policy
- ☐ An app protection policy
- ☐ A Deployment profile
- ☒ A device profile

Explanation:

References:

<https://docs.microsoft.com/en-us/intune/device-restrictions-configure>

<https://docs.microsoft.com/en-us/intune/device-restrictions-ios>

(10 questions)**Question 21**

Your company plans to deploy tablets to 50 meeting rooms.

The tablets run Windows 10 and are managed by using Microsoft Intune. The tablets have an application named App1.

You need to configure the tablets so that any user can use App1 without having to sign in. Users must be prevented from using other applications on the tablets.

Which device configuration profile type should you use?

- ☒ Kiosk
- ☐ Endpoint protection
- ☐ Identity protection
- ☐ Device restrictions

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows/configuration/kiosk-single-app>

Question 22

DRAG DROP

Your network contains an Active Directory domain that is synced to Microsoft Azure Active Directory (Azure AD). All computers are joined to the domain and registered to Azure AD.

The network contains a Microsoft System Center Configuration Manager (Current Batch) deployment that is configured for co-management with Microsoft Intune.

All the computers in the finance department are managed by using Configuration Manager. All the computers in the marketing department are managed by using Intune.

You install new computers for the users in the marketing department by using the Microsoft Deployment Toolkit (MDT).

You purchase an application named App1 that uses an MSI package.

You need to install App1 on the finance department computers and the marketing department computers.

How should you deploy App1 to each department? To answer, drag the appropriate deployment methods to the correct departments. Each deployment method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Deployment Methods	Answer Area
From Intune, add a line-of-business app.	Finance department:
From Azure AD, add an application registration.	Marketing department:
From Configuration Manager, add an application.	
From Microsoft Store for Business, add an app to the private store.	

Solution:

Deployment Methods	Answer Area
From Intune, add a line-of-business app.	
From Azure AD, add an application registration.	
From Configuration Manager, add an application.	Finance department: From Configuration Manager, add an application.
From Microsoft Store for Business, add an app to the private store.	Marketing department: From Intune, add a line-of-business app.

Explanation:

Reference:

<https://docs.microsoft.com/en-us/intune/apps-add>

<https://docs.microsoft.com/en-us/sccm/apps/get-started/create-and-deploy-an-application>

Question 23

Your company uses Microsoft Intune.

More than 500 Android and iOS devices are enrolled in the Intune tenant.

You plan to deploy new Intune policies. Different policies will apply depending on the version of Android or iOS installed on the device.

You need to ensure that the policies can target the devices based on their version of Android or iOS.

What should you configure first?

- ☐ Corporate device identifiers in Intune
- ☒ Device settings in Microsoft Azure Active Directory (Azure AD)
- ☐ Device categories in Intune
- ☐ Groups that have dynamic membership rules in Microsoft Azure Active Directory (Azure AD)

Explanation:

Reference:

<https://docs.microsoft.com/en-us/intune/compliance-policy-create-android>

<https://docs.microsoft.com/en-us/intune/compliance-policy-create-ios>

Question 24

You are creating a device configuration profile in Microsoft Intune.

You need to implement an ADMX-backed policy.

Which profile type should you use?

- ☐ Identity protection
- ☒ Custom
- ☐ Device restrictions
- ☐ Device restrictions (Windows 10 Team)

Explanation:

Reference:

<https://blogs.technet.microsoft.com/senthilkumar/2018/05/21/intune-deploying-admx-backed-policies-using-microsoft-intune/>

Question 25

You have 200 computers that run Windows 10. The computers are joined to Microsoft Azure Active Directory (Azure AD) and enrolled in Microsoft Intune.

You redirect Windows known folders to Microsoft OneDrive for Business.

Which folder will be included in the redirection?

- ☐ Saved Games
- ☒ Documents
- ☐ Music
- ☐ Downloads

Explanation:

Reference:

<https://docs.microsoft.com/en-us/onedrive/redirect-known-folders>

Question 26

Your company has a Microsoft 365 subscription.

The company uses Microsoft Intune to manage all devices.

The company uses conditional access to restrict access to Microsoft 365 services for devices that do not comply with the company's security policies.

You need to identify which devices will be prevented from accessing Microsoft 365 services.


What should you use?

- ☐ The Device Health solution in Windows Analytics.
- ☐ Windows Defender Security Center.
- ☒ The Device compliance blade in the Intune admin center.
- ☐ The Conditional access blade in the Azure Active Directory admin center.

Question 27

Your network contains an Active Directory domain named contoso.com. The domain contains 200 computers that run Windows 10.

Folder Redirection for the Desktop folder is configured as shown in the following exhibit.



The target is set to Server1.

You plan to use known folder redirection in Microsoft OneDrive for Business.

You need to ensure that the desktop content of users remains on their desktop when you implement known folder redirection.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☒ Clear the Grant the user exclusive rights to Desktop check box.
- ☒ Change the Policy Removal setting.
- ☐ Disable Folder Redirection.
- ☐ Clear the Move the contents of Desktop to the new location check box.

Explanation:

References:

<https://docs.microsoft.com/en-us/onedrive/redirect-known-folders>

Question 28

You need to assign the same deployment profile to all the computers that are configured by using Windows Autopilot.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: each correct selection is worth one point.

- ☐ Join the computers to Microsoft Azure Active Directory (Azure AD)
- ☒ Assign a Windows AutoPilot deployment profile to a group
- ☐ Join the computers to an on-premises Active Directory domain
- ☐ Create a Microsoft Azure Active Directory (Azure AD) group that has dynamic membership rules and uses the operatingSystem tag
- ☐ Create a Group Policy object (GPO) that is linked to a domain
- ☒ Create a Microsoft Azure Active Directory (Azure AD) group that has dynamic membership rules and uses the ZTDID tag

Explanation:

References:

<https://www.petervanderwoude.nl/post/automatically-assign-windows-autopilot-deployment-profile-to-windows-autopilot-devices/>

Question 29

Your company has a Microsoft Azure Active Directory (Azure AD) tenant named contoso.com. All users have computers that run Windows 10. The computers are joined to Azure AD and managed by using Microsoft Intune.

You need to ensure that you can centrally monitor the computers by using Windows Analytics.

What should you create in Intune?

- ☒ a device configuration profile
- ☐ a conditional access policy
- ☐ a device compliance policy
- ☐ an update policy

Explanation:

References:

<https://www.sconfigmgr.com/2019/03/27/windows-analytics-onboarding-with-intune/>

Question 30

You have computers that run Windows 10 Pro. The computers are joined to Microsoft Azure Active Directory (Azure AD) and enrolled in Microsoft Intune.

You need to upgrade the computers to Windows 10 Enterprise.

What should you configure in Intune?

- ☐ A device enrollment policy
- ☐ A device cleanup rule
- ☐ A device compliance policy
- ☒ A device configuration profile

Explanation:

Reference:

<https://blogs.technet.microsoft.com/skypehybridguy/2018/09/21/intune-upgrade-windows-from-pro-to-enterprise-automatically/>

Manage and Protect Devices

(11 questions)

Question 31

Your company has a Microsoft Azure Active Directory (Azure AD) tenant. All users in the company are licensed for Microsoft Intune.

You need to ensure that the users enroll their iOS device in Intune.

What should you configure first?

- ☒ A Device Enrollment Program (DEP) token.
- ☐ An Intune device configuration profile.
- ☐ A Device enrollment manager (DEM) account.
- ☐ An Apple MDM Push certificate.

Explanation:

Reference:

<https://docs.microsoft.com/en-us/intune/device-enrollment-program-enroll-ios>

Question 32

You need to enable Windows Defender Credential Guard on computers that run Windows 10.

What should you install on the computers?

- ☒ Hyper-V
- ☐ Windows Defender Application Guard
- ☐ a guarded host
- ☐ containers

Question 33

You have 200 computers that run Windows 10. The computers are joined to Microsoft Azure Active Directory (Azure AD) and enrolled in Microsoft Intune.

You need to ensure that only applications that you explicitly allow can run on the computers.

What should you use?

- ☐ Windows Defender Credential Guard
- ☐ Windows Defender Exploit Guard
- ☒ Windows Defender Application Guard
- ☐ Windows Defender Antivirus.

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/device-guard/introduction-to-device-guard-virtualization-based-security-and-windows-defender-application-control>

Question 34

You have a Microsoft Azure Log Analytics workplace that collects all the event logs from the computers at your company.

You have a computer named Computer1 than runs Windows 10. You need to view the events collected from Computer1.

Which query should you run in Log Analytics?

- ☒ Event
- ☒ | where Computer == "Computer1"
- ☐ ETWEvent
- ☐ | where SourceSystem == "Computer1"
- ☐ ETWEvent
- ☐ | where Computer == "Computer1"
- ☐ Event
- ☐ | where SourceSystem == "Computer1"

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/data-sources-windows-events>

Question 35

Your company implements Microsoft Azure Active Directory (Azure AD), Microsoft 365, Microsoft Intune, and Azure Information Protection.

The company's security policy states the following:

Personal devices do not need to be enrolled in Intune.

Users must authenticate by using a PIN before they can access corporate email data.

Users can use their personal iOS and Android devices to access corporate cloud services.

Users must be prevented from copying corporate email data to a cloud storage service other than Microsoft OneDrive for Business.

You need to configure a solution to enforce the security policy.

What should you create?

- ☐ a data loss prevention (DLP) policy from the Security & Compliance admin center
- ☐ a supervision policy from the Security & Compliance admin center
- ☒ an app protection policy from the Intune admin center
- ☐ a device configuration profile from the Intune admin center

Explanation:

References:

<https://docs.microsoft.com/en-us/intune/app-protection-policy>

Question 36

You use Windows Defender Advanced Threat Protection (Windows Defender ATP) to protect computers that run Windows 10.

You need to assess the differences between the configuration of Windows Defender ATP and the Microsoft-recommended configuration baseline.

Which tool should you use?

- ☐ Windows Defender Security Center
- ☐ Windows Analytics
- ☐ Windows Defender ATP Power BI app
- ☒ Microsoft Secure Score

Explanation:

References:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/microsoft-defender-atp/overview-secure-score>

Question 37

Your company uses Microsoft Intune to manage devices. You need to ensure that only Android devices that use Android work profiles can enroll in Intune.

Which two configurations should you perform in the device enrollment restrictions? Each correct answer presents part of the solution.

NOTE: each correct selection is worth one point.

- ☒ From Select platforms, set Android work profile to Allow.
- ☐ From Configure platforms, set Android Personally Owned to Block.
- ☐ From Configure platforms, set Android Personally Owned to Allow.
- ☒ From Select platforms, set Android to Block.

Explanation:

Reference:

<https://docs.microsoft.com/en-us/Intune/enrollment-restrictions-set>

Question 38

HOTSPOT

You have 1,000 computers that run Windows 10 and are members of an Active Directory domain.

You create a workspace in Microsoft Azure Log Analytics.

You need to capture the event logs from the computers to Azure.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Azure service to provision:

☒

An Azure Storage account
Azure Cosmos DB
Azure SQL Database
Log Analytics

Action to perform on the computers:

☒

Create a collector initiated subscription
Install the Microsoft Monitoring Agent
Enroll in Microsoft Intune
Register to Azure Active Directory (Azure AD)

Solution:

Answer Area

Azure service to provision:

	✕
An Azure Storage account	
Azure Cosmos DB	
Azure SQL Database	
Log Analytics	

Action to perform on the computers:

	✕
Create a collector initiated subscription	
Install the Microsoft Monitoring Agent	
Enroll in Microsoft Intune	
Register to Azure Active Directory (Azure AD)	

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/azure-monitor/platform/agent-windows>

Question 39

You have a shared computer that runs Windows 10.

The computer is infected with a virus.

You discover that a malicious TTF font was used to compromise the computer.

You need to prevent this type of threat from affecting the computer in the future.

What should you use?

- ☒ Windows Defender Exploit Guard
- ☐ Windows Defender Application Guard
- ☐ Windows Defender Credential Guard
- ☐ Windows Defender System Guard
- ☐ Windows Defender SmartScreen

Explanation:

Reference:

<https://docs.microsoft.com/en-us/windows/security/threat-protection/windows-defender-exploit-guard/windows-defender-exploit-guard>

Question 40

Your network contains an Active Directory domain. The functional level of the forest and the domain is Windows Server 2012 R2.

The domain contains 500 computers that run Windows 10. All the computers are managed by using Microsoft System Center 2012 R2 Configuration Manager.

You need to enable co-management.

What should you do first?

- ☐ Deploy the Microsoft Intune client.
- ☐ Raise the forest functional level.
- ☒ Upgrade Configuration Manager to Current Branch.
- ☐ Raise the domain functional level.

Explanation:

Explanation:

Co-management requires Configuration Manager version 1710 or later.

References:

<https://docs.microsoft.com/en-us/sccm/comanage/overview#prerequisites>

Question 41

Your network contains an Active Directory domain named contoso.com. The domain contains computers that run Windows 10 and are joined to the domain.

The domain is synced to Microsoft Azure Active Directory (Azure AD).

You create an Azure Log Analytics workspace and deploy the Device Health solution.

You need to enroll the computers in Windows Analytics.

Which Group Policy setting should you configure?

- ☐ Specify intranet Microsoft update service location
- ☐ Allow Telemetry
- ☒ Configure the Commercial ID
- ☐ Connected User Experiences and Telemetry

Explanation:

Explanation:

Microsoft uses a unique commercial ID to map information from user computers to your Azure workspace. Copy your commercial ID key from any of the Windows Analytics solutions you have added to your Windows Portal, and then deploy it to user computers.

References:

<https://docs.microsoft.com/en-us/windows/deployment/update/windows-analytics-get-started>

Manage Apps and Data

Case Study (1 questions)

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. When you are ready to answer a question, click the Question button to return to the question.

Existing Environment

Current Business Model

The Los Angeles office has 500 developers. The developers work flexible hours ranging from 11:00 to 22:00. Litware has a Microsoft System Center 2012 R2 Configuration Manager deployment. During discovery, the company discovers a process where users are emailing bank account information of its customers to internal and external recipients.

Current Environment

The network contains an Active Directory domain that is synced to Microsoft Azure Active Directory (Azure AD). The functional level of the forest and the domain is Windows Server 2012 R2. All domain controllers run Windows Server 2012 R2.

Litware has the computers shown in the following table.

Department	Windows version	Management platform	Domain-joined
Marketing	8.1	Configuration Manager	Hybrid Azure AD-joined
Research	10	Configuration Manager	Hybrid Azure AD-joined
HR	8.1	Configuration Manager	Hybrid Azure AD-joined
Developers	10	Microsoft Intune	Azure AD-joined
Sales	10	Microsoft Intune	Azure AD-joined

The development department uses projects in Azure DevOps to build applications.

Most of the employees in the sales department are contractors. Each contractor is assigned a computer that runs Windows 10. At the end of each contract, the computer is assigned to different contractor. Currently, the computers are re-provisioned manually by the IT department.

Problem Statements

Litware identifies the following issues on the network:

Employees in sales department computers is too time the Los Angeles office report slow Internet performance when updates are downloading. The employees also report that the updates frequently consume considerable resources when they are installed. The Update settings are configured as shown in the Updates exhibit. (Click the Updates button.)

Management suspects that the source code for the proprietary applications in Azure DevOps in being shared externally.

Re-provisioning the consuming.

Requirements

Business Goals

Litware plans to transition to co-management for all the company-owned Windows 10 computers. Whenever possible, Litware wants to minimize hardware and software costs.

Device Management Requirements

Litware identifies the following device management requirements:

Prevent the sales department employees from forwarding email that contains bank account information.

Ensure that Microsoft Edge Favorites are accessible from all computers to which the developers sign in.

Prevent employees in the research department from copying patented information from trusted applications to untrusted applications.

Technical Requirements

Litware identifies the following technical requirements for the planned deployment:

Re-provision the sales department computers by using Windows AutoPilot.

Ensure that the projects in Azure DevOps can be accessed from the corporate network only.

Ensure that users can sign in to the Azure AD-joined computers by using a PIN. The PIN must expire every 30 days.

Ensure that the company name and logo appears during the Out of Box Experience (OOBE) when using Windows AutoPilot.

Exhibits

Settings

X

Windows 10 and later

Update settings

Servicing channel ⓘ

Semi-Annual Channel (Targeted) ▾

* Microsoft product updates ⓘ

Allow

Block

* Windows drivers ⓘ

Allow

Block

* Quality update deferral period (days) ⓘ

7

* Feature update deferral period (days) ⓘ

14

* Set feature update uninstall period (2 – 60 days) ⓘ

10

User experience settings

Automatic update behavior ⓘ

Auto install at maintenance time ▾

Active hours start ⓘ

8 AM

Active hours end ⓘ

5PM

Restart checks ⓘ

Allow

Skip

Delivery optimization download mode ⓘ

Simple download mode with no peering ▾

OK

Question 42

HOTSPOT

You need to recommend a solution to meet the device management requirements.

What should you include in the recommendation? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

For the Research department employees:

☐	An app configuration policy
☐	An app protection policy
☐	Azure information Protection
☐	iOS app provisioning profiles

For the Sales department employees:

☐	An app configuration policy
☐	An app protection policy
☐	Azure information Protection
☐	iOS app provisioning profiles

Solution:

Answer Area

For the Research department employees:

☒	An app configuration policy
☒	An app protection policy
☒	Azure information Protection
☒	iOS app provisioning profiles

For the Sales department employees:

☒	An app configuration policy
☒	An app protection policy
☒	Azure information Protection
☒	iOS app provisioning profiles

Explanation:

Explanation:

From the scenario:

Litware identifies the following device management requirements:

Prevent the sales department employees from forwarding email that contains bank account information.

Ensure that Microsoft Edge Favorites are accessible from all computers to which the developers sign in.

Prevent employees in the research department from copying patented information from trusted applications to untrusted applications.

Box 1:

Employees in the research department must be prevented from copying patented information from trusted applications to untrusted applications. This requires an App protection policy.

App protection policies make sure that the app-layer protections are in place. For example, you can:

- Require a PIN to open an app in a work context

- Control the sharing of data between apps

- Prevent the saving of company app data to a personal storage location

Box 2:

Employees in the sales department must be prevented from forwarding email that contains bank account information.

Azure Information Protection is a cloud-based solution that helps an organization to classify and optionally, protect its documents and emails by applying labels. Labels can be applied automatically by administrators who define rules and conditions, manually by users, or a combination where users are given recommendations.

Reference:

<https://docs.microsoft.com/en-us/intune/app-protection-policy>

<https://docs.microsoft.com/en-us/azure/information-protection/what-is-information-protection>

Case Study (1 questions)

This is a case study. Case studies are not timed separately. You can use as much exam time as you would like to complete each case. However, there may be additional case studies and sections on this exam. You must manage your time to ensure that you are able to complete all questions included on this exam in the time provided.

To answer the questions included in a case study, you will need to reference information that is provided in the case study. Case studies might contain exhibits and other resources that provide more information about the scenario that is described in the case study. Each question is independent of the other questions in this case study.

At the end of this case study, a review screen will appear. This screen allows you to review your answers and to make changes before you move to the next section of the exam. After you begin a new section, you cannot return to this section.

To start the case study

To display the first question in this case study, click the Next button. Use the buttons in the left pane to explore the content of the case study before you answer the questions. Clicking these buttons displays information such as business requirements, existing environment, and problem statements. When you are ready to answer a question, click the Question button to return to the question.

Overview

Contoso, Ltd., is a consulting company that has a main office in Montreal and two branch offices in Seattle and New York.

Contoso has the users and computers shown in the following table.

Location	Users	Laptops	Desktop computers	Mobile devices
Montreal	2,500	2,800	300	3,100
Seattle	1,000	1,100	200	1,500
New York	300	320	30	400

The company has IT, human resources (HR), legal (LEG), marketing (MKG) and finance (FIN) departments.

Contoso uses Microsoft Store for Business and recently purchased a Microsoft 365 subscription.

The company is opening a new branch office in Phoenix. Most of the users in the Phoenix office will work from home.

Existing Environment

The network contains an Active Directory domain named contoso.com that is synced to Microsoft Azure Active Directory (Azure AD).

All member servers run Windows Server 2016. All laptops and desktop computers run Windows 10 Enterprise.

The computers are managed by using Microsoft System Center Configuration Manager. The mobile devices are managed by using Microsoft Intune.

The naming convention for the computers is the department acronym, followed by a hyphen, and then four numbers, for example, FIN-6785. All the computers are joined to the on-premises Active Directory domain.

Each department has an organization unit (OU) that contains a child OU named Computers. Each computer account is in the Computers OU of its respective department.

Intune Configuration

The domain has the users shown in the following table.

Name	Role	Member of
User1	Intune administrator	GroupA
User2	<i>None</i>	GroupB

User2 is a device enrollment manager (DEM) in Intune.

The devices enrolled in Intune are shown in the following table.

Name	Platform	Encryption	Member of
Device1	Android	Disabled	Group1
Device2	iOS	Not applicable	Group2, Group3
Device3	Android	Disabled	Group2, Group3
Device4	iOS	Not applicable	Group2

The device compliance policies in Intune are configured as shown in the following table.

Name	Platform	Require encryption	Assigned
Policy1	Android	Not configured	Yes
Policy2	iOS	Not applicable	Yes
Policy3	Android	Require	Yes

The device compliance policies have the assignments shown in the following table:

Name	Include	Exclude
Policy1	Group3	<i>None</i>
Policy2	Group2	Group3
Policy3	Group1	<i>None</i>

The device limit restrictions in Intune are configured as shown in the following table.

Priority	Name	Device limit	Assigned to
1	Restriction1	15	GroupB
2	Restriction2	10	GroupA
Default	All users	5	All users

Requirements

Planned Changes

Contoso plans to implement the following changes:

Provide new computers to the Phoenix office users. The new computers have Windows 10 Pro preinstalled and were purchased already.

Start using a free Microsoft Store for Business app named App1.

Implement co-management for the computers.

Technical Requirements:

Contoso must meet the following technical requirements:

Ensure that the users in a group named Group4 can only access Microsoft Exchange Online from devices that are enrolled in Intune.

Deploy Windows 10 Enterprise to the computers of the Phoenix office users by using Windows Autopilot.

Monitor the computers in the LEG department by using Windows Analytics.

Create a provisioning package for new computers in the HR department.

Block iOS devices from sending diagnostic and usage telemetry data.

Use the principle of least privilege whenever possible.

Enable the users in the MKG department to use App1.

Pilot co-management for the IT department.

Question 43

You need to meet the requirements for the MKG department users.

What should you do?

- ☐ Assign the MKG department users the Purchaser role in Microsoft Store for Business
- ☐ Download the APPX file for App1 from Microsoft Store for Business
- ☐ Add App1 to the private store
- ☐ Assign the MKG department users the Basic Purchaser role in Microsoft Store for Business
- ☒ Acquire App1 from Microsoft Store for Business

Explanation:

References:

<https://docs.microsoft.com/en-us/microsoft-store/distribute-apps-from-your-private-store>

(4 questions)**Question 44**

HOTSPOT

Your company has a computer named Computer1 that runs Windows 10 Pro.

The company develops a proprietary Universal Windows Platform (UWP) app named App1. App1 is signed with a certificate from a trusted certification authority (CA).

You need to sideload App1 to Computer1.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

To enable sideloading:

Configure the Apps & features settings in the Settings app
 Configure the For developers settings in the Settings app
 Run the Enable-WindowsOptionalFeature cmdlet
 Run the Set-WindowsEdition cmdlet

To sideload App1:

Double-click App1.appx in File Explorer
 Use the Add a package option in the Settings app
 Run the Install-Package cmdlet
 Run the Add-AppxPackage cmdlet

Solution:

Answer Area

To enable sideloading:

Configure the Apps & features settings in the Settings app
 Configure the For developers settings in the Settings app
 Run the Enable-WindowsOptionalFeature cmdlet
 Run the Set-WindowsEdition cmdlet

To sideload App1:

Double-click App1.appx in File Explorer
 Use the Add a package option in the Settings app
 Run the Install-Package cmdlet
 Run the Add-AppxPackage cmdlet

Explanation:

Reference:

<https://www.windowscentral.com/how-enable-windows-10-sideload-apps-outside-store>

<https://docs.microsoft.com/en-us/windows/application-management/sideload-apps-in-windows-10>

Question 45

Your company has a Microsoft 365 subscription.

All the users in the finance department own personal devices that run iOS or Android. All the devices are enrolled in Microsoft Intune.

The finance department adds new users each month.

The company develops a mobile application named App1 for the finance department users.

You need to ensure that only the finance department users can download App1.

What should you do first?

- ☒ Add App1 to Intune.
- ☐ Add App1 to a Microsoft Deployment Toolkit (MDT) deployment share.
- ☐ Add App1 to Microsoft Store for Business.
- ☐ Add App1 to the vendor stores for iOS and Android applications.

Explanation:

Reference:

<https://docs.microsoft.com/en-us/intune/apps-add>

Question 46

Your company has a main office and six branch offices. The branch offices connect to the main office by using a WAN link. All offices have a local Internet connection and a Hyper-V host cluster.

The company has a Microsoft System Center Configuration Manager deployment. The main office is the primary site. Each branch has a distribution point. All computers that run Windows 10 are managed by using both Configuration Manager and Microsoft Intune.

You plan to deploy the latest build of Microsoft Office 365 ProPlus to all the computers.

You need to minimize the amount of network traffic on the company's Internet links for the planned deployment.

What should you include in the deployment plan?

- ☐ From Intune, configure app assignments for the Office 365 ProPlus suite.
- ☐ In each office, copy the Office 365 distribution files to a Microsoft Deployment Toolkit (MDT) deployment share.
- ☐ From Intune, configure app assignments for the Office 365 ProPlus suite.
- ☐ In each office, copy the Office 365 distribution files to a Configuration Manager distribution point.
- ☐ From Configuration Manager, create an application deployment.
- ☐ Copy the Office 365 distribution files to a Configuration Manager cloud distribution point.
- ☒ From Configuration Manager, create an application deployment.
- ☒ In each office, copy the Office 365 distribution files to a Configuration Manager distribution point.

Explanation:

Reference:

<https://docs.microsoft.com/en-us/deployoffice/deploy-office-365-proplus-with-system-center-configuration-manager-2012r2#distribute-the-office-365-proplus-application-to-distribution-points-in-configuration-manager>

Question 47

You have devices enrolled in Microsoft Intune as shown in the following table.

Name	Platform	Member of
Device1	Windows 10	Group1, Group3
Device2	Android	Group2, Group3
Device3	Windows 10	Group3
Device4	Windows 10	Group2
Device5	Windows 10	Group1

You create an app protection policy named Policy1 that has the following settings:

Platform: Windows 10

Protected apps: App1

Exempt apps: App2

Network boundary: Cloud resources, IPv4 ranges

You assign Policy1 to Group1 and Group2. You exclude Group3 from Policy1.

Which devices will apply Policy1?

- ☒ Device1, Device2, Device4, and Device5
- ☐ Device1, Device4, and Device5 only
- ☐ Device4 and Device5 only
- ☐ Device1, Device3, Device4 and Device5

Explanation:

Explanation:

Policy1 is applied to all devices in Group1 and Group2. It is not applied to any devices in Group3, unless those devices are also members of Group1 or Group2.

Note: The phrase "You exclude Group3 from Policy1" is misleading. It means that Policy1 is not applied to Group3, rather than Group3 being blocked.

Incorrect answers:

B: Policy1 applies to Device2 as Policy1 is assigned to Group2.

C: Policy1 applies to Device1 as Policy1 is assigned to Group1. Policy1 also applies to Device2 as Policy1 is assigned to Group2.

D: Device3 is a member of Group3 only. Policy1 is not assigned to Group3.

References:

<https://docs.microsoft.com/en-us/intune/app-protection-policies>

