vce trainer



MS-201.38q

MS-201

MS-201

Implementing a Hybrid and Secure Messaging Platform (beta)

Score: 800/1000

Version:

Time Limit: 120 Minutes

Licensed to Berend Post berend.post@it-university.nl

Licensed to Berend Post berend.post@it-university.nl

Plan and Implement a Hybrid Configuration and Migration

(13 questions)

Question 1

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers in a database availability group (DAG).

You plan to implement a hybrid deployment by using the Exchange Modern Hybrid connection option.

Which three configurations will be transferred automatically from the on-premises organizations to Exchange Online? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ the device access rules
- ☐ the address lists
- ☐ the address book policies (ABPs)
- ☐ the Messaging Records Management (MRM) settings
- ☐ the mail flow rules

Question 2

You have a Microsoft Exchange Server 2019 organization that contains 5,000 mailboxes.

You purchase a Microsoft 365 E5 subscription and create a hybrid deployment. You configure all MX records to point to Exchange Online.

You purchase 2,000 Microsoft 365 E5 licenses, and you migrate 2,000 mailboxes to Exchange Online.

You need to identify which additional licenses must be purchased. The solution must minimize costs.

Which licenses should you identify?

- ☐ Enterprise Mobility + Security E5 licenses for the Exchange Online users
- ☐ Microsoft Office 365 Enterprise E1 licenses for the on-premises users
- ☐ Microsoft Azure Active Directory Premium P2 licenses for all users
- ☐ an Exchange Online Protection (EOP) license for each on-premises mailbox

Licensed to Berend Post berend.post@it-university.nl

Question 3

You have a Microsoft Exchange Server 2019 organization.

You purchase an Exchange Online subscription.

You plan to implement an Exchange hybrid deployment that supports the following features:

Federated sharing of free/busy information
Single-sign on (SSO) access to both on-premises and Exchange Online mailboxes.
Secured access to mailboxes by using Microsoft Azure Active Directory (Azure AD) conditional access policies.
A unified global address list (GAL) that contains all the mailboxes in the on-premises and Exchange Online organizations.

You plan to run the Microsoft Office 365 Hybrid Configuration wizard.

You are evaluating whether to use Exchange Classic Hybrid or Exchange Modern Hybrid.

Which requirement can only be met by using the Exchange Modern Hybrid connection option?

- ☐ the federated sharing of free/busy information between organizations
- ☐ SSO access to both on-premises and Exchange Online mailboxes
- ☐ a unified GAL list that contains all the mailboxes in the on-premises and Exchange Online organizations
- ☐ secured access to mailboxes by using Azure AD conditional access policies.

Licensed to Berend Post berend.post@it-university.nl

Question 4

Your network contains an Active Directory domain named fabrikam.com.

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers. The servers are members of a database availability group (DAG).

You plan to implement an Exchange hybrid deployment.

You are evaluating the use of the Exchange Modern Hybrid connection option during the hybrid deployment.

What are two benefits of using Exchange Modern Hybrid instead of Exchange Classic Hybrid? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ allows federated sharing between the on-premises organization and Exchange Online
- ☐ eliminates the need to purchase publicly trusted certificates for communication between the on-premises organization and Exchange Online
- ☐ preserves mailbox quotas when mailboxes are moved between the on-premises organization and Exchange Online
- ☐ uses Organization Configuration Transfer to configure Exchange Online
- ☐ allows the use of Microsoft Azure Multi-Factor Authentication (MFA) for on-premises users

Question 5

You have a Microsoft Exchange Server 2019 organization.

You purchase a Microsoft 365 subscription.

An administrator configures Microsoft Azure Active Directory (Azure AD) synchronization.

You configure several users in the on-premises organization to use archive mailboxes in Exchange Online.

The users report that their archive mailbox does not appear in Microsoft Outlook.

You need to ensure that the users can access their archive mailbox.

- ☐ Rerun the Microsoft Office 365 Hybrid Configuration wizard
- ☐ Reconfigure the sharing policy
- ☐ Reconfigure the organization relationship
- ☐ Rerun Azure AD Connect and select Exchange hybrid deployment

Licensed to Berend Post berend.post@it-university.nl

Question 6

You have a Microsoft Exchange Server 2019 organization.

You purchase a Microsoft 365 subscription and configure Active Directory synchronization.

You use a smart host for all communication between the organization and the Internet. The smart host performs email hygiene and alters message headers.

You plan to run the Hybrid Configuration wizard to create an Exchange hybrid deployment and change the MX record to point to Exchange Online.

You need to decommission the smart host from the organization.

What should you do first?

- ☐ Modify the InternalSmtpServer value by running the Set-TransportConfig cmdlet.
- ☐ Modify the Send connector to use DNS delivery.
- ☐ Modify the TLSReceiveDomainSecureList value by running the Set-TransportConfig cmdlet.
- ☐ Create a Receive connector that allows anonymous authentication.

Question 7

You use an IMAP-based email system.

You purchase a Microsoft 365 subscription.

In Exchange Online, you create mailboxes for all users.

You need to migrate all the email accounts of all the users to Exchange Online.

Which three components should you create? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ an accepted domain
- ☐ a remote domain
- ☐ a migration endpoint
- ☐ an inbound connector
- ☐ a CSV migration file

Licensed to Berend Post berend.post@it-university.nl

Question 8


DRAG DROP

You have a Microsoft Exchange Server 2019 hybrid deployment.

All user mailboxes are migrated to Exchange Online.

You need to migrate the public folders from the on-premises organizations to Exchange Online.

Which three actions should you perform in sequence before you create the migration batch? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.



Licensed to Berend Post berend.post@it-university.nl

Question 9

You have a Microsoft Exchange Server 2019 organization.

You plan to purchase a Microsoft 365 E5 subscription and create a hybrid deployment.

You are evaluating the security requirements for communication between the on-premises and Exchange Online.

You need to ensure that Exchange Online services can access the necessary on-premises virtual directories.

Which two on-premises virtual directories should be accessible to Exchange Online services? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- ☐ Rpc
- ☐ EWS
- ☐ PowerShell
- ☐ ecp
- ☐ mapi
- ☐ Autodiscover

Licensed to Berend Post berend.post@it-university.nl

Question 10

Your company has a Microsoft Exchange Server 2019 organization.

All email sent to the company uses an SMTP domain named contoso.com.

You create a Microsoft 365 E5 subscription that has a default domain named contoso.onmicrosoft.com.

You run the Microsoft Office 365 Hybrid Configuration wizard, and receive the following error message: "No shared domains have been detected within the Exchange Online and on-premises organizations. Make sure that your primary domain (such as contoso.com) is added to both Exchange Online and on-premises."

You are unable to advance to the next step in the wizard.

What should you do to resolve this problem?

- ☐ From a public registrar, register a new domain name and then add the domain name from the Microsoft 365 admin center.
- ☐ From Active Directory, add contoso.onmicrosoft.com to the UPN suffix list.
- ☐ From the Exchange admin center in Exchange Online, modify the contoso.onmicrosoft.com accepted domain.
- ☐ From the Microsoft 365 admin center, add contoso.com as a domain.

Licensed to Berend Post berend.post@it-university.nl

Question 11

Your company has offices in Seattle, London, and Toronto.

The company has a Microsoft Exchange Server 2019 organization that has Mailbox servers in each office.

Users access their mail by using Microsoft Outlook 2019.

The users report that access to the public folders in Outlook is slower than expected. You discover that clients retrieve the public folder hierarchy by using a WAN link.

You need to ensure that the clients retrieve the public folder hierarchy from their local site.

What should you do?

- ☐ For each user, set the value for the default public mailbox to a public folder mailbox in the user's office.
- ☐ For all the users, set the default public folder mailbox to the primary hierarchy public folder mailbox.
- ☐ Exclude the public folder mailboxes in the London and Seattle offices from serving the public folder hierarchy.
- ☐ Disable cached Exchange Mode for Outlook.

Question 12

Your company has a Microsoft Exchange Server 2019 organization that contains two servers in a database availability group (DAG).

The customer service department at the company uses public folders to receive customer communications. Only users in the customer service department can read items in the folders.

For a new customer, you create a mail-enabled public folder that has the default settings.

The customer reports that when she sends an email message to the email address of the public folder, she receives a non-delivery report (NDR).

You need to ensure that the public folder can receive email.

- ☐ Grant the Author permission to the Default group
- ☐ Grant the Create items permission to the Default group
- ☐ Grant the Author permission to the Anonymous group
- ☐ Grant the Create items permission to the Anonymous group

Licensed to Berend Post berend.post@it-university.nl

Question 13

You have a Microsoft Exchange Server 2019 hybrid deployment.

You are migrating public folder data to Exchange Online by using a migration batch of the PublicFolder type.

You need to identify the sync of each move request in the batch.

Which cmdlet should you run?

- ☐ Get-PublicFolderMailboxMigrationRequests
- ☐ Get-MoveRequest
- ☐ Get-PublicFolderMoveRequest
- ☐ Get-PublicFolderMigrationRequest

Licensed to Berend Post berend.post@it-university.nl

Case Study (2 questions)

Case Study
Overview

Litware, Inc. is food service supplier in Europe.

Physical Locations

Litware has a main office in Paris and branch offices in Munich, London, Brussels, Vienna, and Rome.

Each branch office has its own compliance officer.

Existing Environment

The network contains one Active Directory forest named litware.com. The forest contains a single Active Directory domain. Each office is configured as an Active Directory site.

Each branch office is represented as a separate organizational unit (OU) in an OU named Offices in Active Directory.

Each branch office has a special Administrators group that contains the delegated administrators for that office. Each Administrators group is named based on its location in a format of RegionalAdmins_Brussels, RegionalAdmins_Munich, RegionalAdmins_London, RegionalAdmins_Vienna and RegionalAdmins_Rome.

Network Infrastructure

Each office contains two domain controllers from the litware.com domain. All the domain controllers are configured as DNS servers. All client computers connect only to the DNS servers in their respective office.

All offices have a high-speed connection to the Internet. Each office connects to the Internet by using a VPN appliance.

Each office has the following servers and client computers:

One reverse proxy appliance
One Microsoft Exchange Server 2019 server
One Windows Server Update Services (WSUS) server
Computers that run Windows 10 and have Microsoft Office 2019 installed.

The office in Brussels contains an Exchange Server 2016 server that has the Unified Messaging role installed and hosted voicemail configured.

Mailboxes are hosted on all the Exchange servers. Public folders are hosted only on an Exchange server in the main office. Litware uses a disjoint namespace to access the servers.

Licensed to Berend Post berend.post@it-university.nl

Each user has an archive mailbox. Archiving is configured to use the default settings.

Exchange services are published to the internet by using a reverse proxy in each office.

A full backup of Exchange is performed nightly. Incremental backups occur every six hours.

All the users in the transport department connect to network resources by using a connection in the main office.

Requirements
Planned Changes

Litware plans to implement the following changes:

Implement calendar sharing to partner companies.
Implement a solution that prevents malware from being delivered to end users.
Use personal archives to eliminate the need for PST files.
Close the Brussels office and move all the users in the Brussels office to the main office. All the mailboxes in the Brussels office will be moved to a server in the main office.
Implement a compliance solution to ensure that items deleted from public folders are retained. If an item in a public folder is modified, the original version of the item must be available.
Technical Requirements

Litware identifies the following technical requirements:

Minimize administrative effort.
Use the principle of least privilege.
Ensure that junk email is deleted automatically after 14 days.
Ensure that sent items and deleted items are deleted automatically after 30 days.
Ensure that users in the customer service department can open multiple mailboxes.
Ensure that all the former Brussels office users always maintain access to hosted voicemail.
Ensure that the staff in the IT department can manage the email environment without end-user involvement.
Ensure that users cannot recover email messages that are deleted from the Junk Email folder and the Deleted Items.
Ensure that if an email message has a spam confidence level (SCL) of 3 or higher, the message automatically moves to the Junk Email folder.
Problem statements

The transport department users report that accessing a public folder named TransportPF is sometimes very slow.

Users in the customer service department report that Microsoft Outlook sometimes hangs when many mailboxes are open.

Question 14

Licensed to Berend Post berend.post@it-university.nl

You need to recommend a solution to retain the items in the public folders. The solution must support the planned changes.

What should you recommend?

- ☐ Create an Outlook rule that forwards all the items in each public folder to a compliance mailbox.
- ☐ Place an In-Place Hold on all the mailboxes of the public folders.
- ☐ Increase the frequency of the backups.
- ☐ Modify the public folder permissions.

Question 15

You need to resolve the issue for the transport department users.

What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer.

- ☐ Move the public folder mailbox that contains TransportPF to a server in the main office.
- ☐ Move TransportPF to a public folder mailbox hosted in the main office.
- ☐ Modify the default public folder mailbox for all the transport department users.
- ☐ Instruct the transport department users to add TransportPF to their Favorites list in Outlook.

Licensed to Berend Post berend.post@it-university.nl

Secure the Messaging Environment

(13 questions)

Question 16

You have a Microsoft 365 subscription that uses a default domain named contoso.com.

Users report that email messages from a domain named fabrikam.com are identified as spam even through the messages are legitimate.

You need to prevent messages from fabrikam.com from being identified as spam.

What should you do?

- ☐ Edit a spam filter policy
- ☐ Enable the safe list on a connection filter
- ☐ Create a new remote domain
- ☐ Enable the Zero-hour auto purge (ZAP) email protection feature

Question 17

You have a Microsoft Exchange Server 2019 organization.

You run the following commands.

New-Management-Scope –Name "VIP Mailboxes" –RecipientRoot "Contoso.com/Executives" –RecipientRestrictionFilter (RecepientType –eq "UserMailbox")

New-ManagementRoleAssignment –SecurityGroup "VIP Admins" –Role "Mail Recipients" –CustomRecipientWriteScope "VIP Mailboxes"

You have a user named Admin1.

You need to ensure that Admin1 can manage the mailboxes of users in the Executives organizational unit (OU) only.

What should you do?

- ☐ Modify the membership of VIP Admins.
- ☐ Create a custom role group.
- ☐ Add Admin1 to the Recipient Management role group.
- ☐ Move Admin1 to the Executives OU.

Licensed to Berend Post berend.post@it-university.nl

Question 18

You have a Microsoft Exchange Server 2019 organization that contains 1,000 users and three Mailbox servers.

You discover an increase in spam.

You need to use an anti-spam real-time block list.

What should you do first?

- ☐ Configure the junk email settings for the mailboxes.
- ☐ Run the Install-AntispamAgent.ps1 PowerShell script.
- ☐ Deploy a data loss prevention (DLP) policy.
- ☐ Deploy an Edge Transport server.

Question 19

You have a Microsoft Exchange Server 2019 organization.

You deploy a new mailbox server named EX01.

You need to ensure that EX01 can perform content filtering and sender filtering.

What should you run first?

- ☐ Install-UnifiedCompliancePrequisite
- ☐ Set-transportAgent
- ☐ Install-AntiSpamAgents.ps1
- ☐ Set-MailboxJunkEmailConfiguration

Licensed to Berend Post berend.post@it-university.nl

Question 20

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You modify the outbound spam filter policy in Exchange Online.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 21

You have a Microsoft Exchange Server 2019 organization.

You need to ensure that all email is retained for one year, and then moved to an archive mailbox.

What should you use?

- ☐ a default policy tag
- ☐ a data loss prevention (DLP) policy
- ☐ a personal tag
- ☐ a retention policy tag

Question 22

You have a Microsoft Exchange Server 2019 organization.

You need to prevent credit card information from being emailed outside of the organization. Users must be informed of any potential breaches before sending email.

What should you create?

- ☐ a journal rule
- ☐ a retention policy
- ☐ a retention tag
- ☐ a data loss prevention (DLP) policy

Licensed to Berend Post berend.post@it-university.nl

Question 23

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft 365 subscription.

Several users in the finance department of the company recently accesses unsafe websites by clicking on links in email messages.

Users in the marketing department of the company report that they must be able to access all the links embedded in email messages.

You need to reduce the likelihood of the finance department users accessing unsafe websites. The solution must affect only the finance department users.

Solution: You create a new safe attachments policy.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 24

HOTSPOT

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

The company has four departments that have the mailboxes shown in the following table.

Department	Number of mailboxes	Location
Finance	500	On-premises
Manufacturing	1,000	Exchange Online
Sales	5,000	On-premises
Marketing	2,000	Exchange Online

The mailboxes are configured as shown in the following table.

Department	Archive	Single item recovery
Finance	Enabled	Enabled
Manufacturing	Disabled	Disabled
Sales	Disabled	Disabled
Marketing	Enabled	Enabled

You have two administrators named Admin1 and Admin2 that are assigned the permissions shown in the following table.

Administrator	Management role group	Organization	Management role
Admin1	Organization Management, Discovery Management	Exchange Online, on-premises	None
Admin2	Organization Management, Discovery Management	Exchange Online, on-premises	Mailbox Import Export

For each of the following statement, select yes if the statement is true. otherwise, select No.

NOTE: Each correct selection is worth one point.

Licensed to Berend Post berend.post@it-university.nl

Statements	Yes	No
Admin1 can search for email messages in every mailbox in the organization by running the `New-ComplianceSearch` cmdlet.	◯	◯
Admin2 can perform a search for a specific keyword in every mailbox of the manufacturing department by running the `Search-mailbox` cmdlet.	◯	◯
Admin1 can delete email message from every mailbox of the marketing department by running the `Search-Mailbox` cmdlet.	◯	◯

Licensed to Berend Post berend.post@it-university.nl

Question 25

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this scenario, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 hybrid deployment that contains two Mailbox servers named MBX1 and MBX2.

The company has the departments shown in the following table.

Name	Mailbox location	Number of recipients
Sales	MBX1	300
Production	MBX2	500
Administration	MBX1	200
IT	Exchange Online	50
Managers	Exchange Online	100
Marketing	Exchange Online	350

From the on-premises organization, outbound email is sent directly to the internet by using DNS lookups.

You are informed that some sales department users send email messages that are identified as spam.

You need to automatically block the sales department users from repeatedly sending spam.

Solution: You modify the Send connector to use Exchange Online as a smart host.

Does this meet the goal?

- ☐ Yes
- ☐ No

Licensed to Berend Post berend.post@it-university.nl

Question 26

You have a Microsoft Exchange Server 2019 organization.

You have the groups shown in the following table.

Name	Type	Scope
Group1	Security	Universal
Group2	Distribution	Universal
Group3	Security	Global
Group4	Distribution	Global
Group5	Security	Domain local

You plan to create a new management role assignment by running the following command.

New-ManagementRoleAssignment -Role "Litware DB Admins"
–SecurityGroup –ExclusiveConfigWriteScope "Scope1"

Which group can you use as the value for the SecurityGroup parameter?

- ☐ Group1
- ☐ Group2
- ☐ Group3
- ☐ Group4
- ☐ Group5

Question 27

You have a Microsoft Exchange Server 2019 organization.

You plan to enable journaling for external email messages only.

You need to ensure that journal reports are delivered if the journal mailbox is offline.

What should you do?

- ☐ Create a new journal rule.
- ☐ Run Set-TransportService and extend MessageExpirationTimeout.
- ☐ Edit the journal rule to include all messages.
- ☐ Specify an alternative journaling mailbox.

Licensed to Berend Post berend.post@it-university.nl

Question 28

You deploy a Microsoft Exchange Server 2019 organization.

You need to ensure that users of all new mailboxes are prevented from editing their personal information.

What should you do?

- ☐ From PowerShell, run the New-RoleGroup cmdlet and specify the –CustomRecipientWritesScope parameter.
- ☐ From the Exchange admin center, create a new role assignment policy.
- ☐ From the Exchange admin center, run a new role group and assign the role group to Domain users.
- ☐ From PowerShell, run the New-RoleAssignmentPolicy cmdlet and specify the –isDefault parameter.

Licensed to Berend Post berend.post@it-university.nl

Case Study (3 questions)

Case Study
Overview

Litware, Inc. is food service supplier in Europe.

Physical Locations

Litware has a main office in Paris and branch offices in Munich, London, Brussels, Vienna, and Rome.

Each branch office has its own compliance officer.

Existing Environment

The network contains one Active Directory forest named litware.com. The forest contains a single Active Directory domain. Each office is configured as an Active Directory site.

Each branch office is represented as a separate organizational unit (OU) in an OU named Offices in Active Directory.

Each branch office has a special Administrators group that contains the delegated administrators for that office. Each Administrators group is named based on its location in a format of RegionalAdmins_Brussels, RegionalAdmins_Munich, RegionalAdmins_London, RegionalAdmins_Vienna and RegionalAdmins_Rome.

Network Infrastructure

Each office contains two domain controllers from the litware.com domain. All the domain controllers are configured as DNS servers. All client computers connect only to the DNS servers in their respective office.

All offices have a high-speed connection to the Internet. Each office connects to the Internet by using a VPN appliance.

Each office has the following servers and client computers:

One reverse proxy appliance
One Microsoft Exchange Server 2019 server
One Windows Server Update Services (WSUS) server
Computers that run Windows 10 and have Microsoft Office 2019 installed.

The office in Brussels contains an Exchange Server 2016 server that has the Unified Messaging role installed and hosted voicemail configured.

Mailboxes are hosted on all the Exchange servers. Public folders are hosted only on an Exchange server in the main office. Litware uses a disjoint namespace to access the servers.

Licensed to Berend Post berend.post@it-university.nl

Each user has an archive mailbox. Archiving is configured to use the default settings.

Exchange services are published to the internet by using a reverse proxy in each office.

A full backup of Exchange is performed nightly. Incremental backups occur every six hours.

All the users in the transport department connect to network resources by using a connection in the main office.

Requirements
Planned Changes

Litware plans to implement the following changes:

Implement calendar sharing to partner companies.
Implement a solution that prevents malware from being delivered to end users.
Use personal archives to eliminate the need for PST files.
Close the Brussels office and move all the users in the Brussels office to the main office. All the mailboxes in the Brussels office will be moved to a server in the main office.
Implement a compliance solution to ensure that items deleted from public folders are retained. If an item in a public folder is modified, the original version of the item must be available.
Technical Requirements

Litware identifies the following technical requirements:

Minimize administrative effort.
Use the principle of least privilege.
Ensure that junk email is deleted automatically after 14 days.
Ensure that sent items and deleted items are deleted automatically after 30 days.
Ensure that users in the customer service department can open multiple mailboxes.
Ensure that all the former Brussels office users always maintain access to hosted voicemail.
Ensure that the staff in the IT department can manage the email environment without end-user involvement.
Ensure that users cannot recover email messages that are deleted from the Junk Email folder and the Deleted Items.
Ensure that if an email message has a spam confidence level (SCL) of 3 or higher, the message automatically moves to the Junk Email folder.
Problem statements

The transport department users report that accessing a public folder named TransportPF is sometimes very slow.

Users in the customer service department report that Microsoft Outlook sometimes hangs when many mailboxes are open.

Question 29

Licensed to Berend Post berend.post@it-university.nl

You need to recommend a procedure for closing the Brussels office that meets the technical requirements.

What should you recommend?

- ☐ In the main office, deploy an Exchange Server 2016 server that has the Unified Messaging role installed, and then move the mailboxes from the Brussels office to the new server.
- ☐ Deploy a Microsoft Skype for Business 2019 server to the main office, and then move the mailboxes from the Brussels office to an Exchange Server 2019 server in the main office.
- ☐ Implement a new mailbox database on an Exchange Server 2019 server in the main office, and then move the mailboxes from the Brussels office to the new mailbox database.
- ☐ Implement a new database availability group (DAG) that contains the server in the Brussels office and a new Exchange Server 2019 server in the main office, and then create a mailbox database copy on the new server in the main office.

Question 30

You need to implement a solution to support the planned changes for the helpdesk users.

What should you do?

- ☐ Assign the Recipient Policies role to the helpdesk users and a default management scope
- ☐ Assign the Mail Recipients role to the helpdesk users and use a default management scope
- ☐ Assign the Mail Recipients role to the helpdesk users and create a custom management scope
- ☐ Assign the Recipient Policies roles to the helpdesk users and create a custom management scope

Question 31

You need to configure the required objects for the branch office administrators.

What should you create for each administrator?

- ☐ a management role assignment policy and a management role group
- ☐ a management role scope and a management role assignment
- ☐ a management role scope and a management role group
- ☐ a management role and a management role assignment policy

Licensed to Berend Post berend.post@it-university.nl

Manage Organizational Settings

(7 questions)

Question 32

You have a Microsoft Exchange Server 2019 organization.

Users access their email by using Microsoft Outlook 2019.

The users report that their address list in Outlook sometimes takes a full day to show new entries.

You need to ensure that the address list updates within four hours.

Which cmdlet should you run?

- ☐ Set-MailboxServer
- ☐ Set-OfflineAddressBook
- ☐ New-OfflineAddressBook
- ☐ New-SettingOverride

Licensed to Berend Post berend.post@it-university.nl

Question 33

DRAG DROP

You have a Microsoft Exchange Server 2019 organization.

All recipients have SMTP address in the <alias>@adatum.com format.
You purchase a new domain named contoso.com
You need to configure all the recipients to have a primary SMTP address in the <alias>@contoso.com format as soon as possible.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Create an address book policy (ABP).
- Apply the policy.
- Create a Receive connector.
- Modify the default email address policy.
- Modify the default accepted domain.
- Create an authoritative accepted domain.

Answer Area

Licensed to Berend Post berend.post@it-university.nl

Question 34

Your company has a Microsoft Exchange Server 2019 hybrid deployment.

Users in the advertising department and the editorial department of the company have mailboxes in Exchange Online.

A company policy requires that the advertising department users and the editorial department users be segmented based on the following requirements:

The advertising department users must not see the editorial department users in the global address list (GAL).
The editorial department users must not see the advertising department users in the GAL.
The editorial department users must be treated as external recipients of the advertising department users.
The advertising department users must be treated as external recipients of the editorial department users.

You need to recommend a solution that meets the requirements and minimize costs and effort.

What should you recommend?

- ☐ In the Exchange Online tenant, create separate address book policies (ABPs) for the advertising and editorial departments.
- ☐ Migrate all the mailboxes of the advertising department to the on-premises organization, and then enable address book policy (ABP) routing.
- ☐ Purchase an additional Microsoft 365 subscription, and then migrate all the mailboxes of the advertising department to the new subscription.
- ☐ Create two address book policies (ABPs) in Exchange Online, and then enable ABP routing for the Exchange Online tenant.

Question 35

Your company has a Microsoft Exchange Server 2019 server. The company has five departments. The server contains one mailbox database for each department. Each mailbox database contains all the users in its respective department. The databases contain 1,000 users.

You create an address book policy (ABP) for each department.

You need to assign the ABPs to the users.

Which cmdlet should you run?

- ☐ Set-Mailbox
- ☐ Set-AddressBookPolicy
- ☐ Set-AddressList
- ☐ Set-MailboxDatabase

Licensed to Berend Post berend.post@it-university.nl

Question 36

You have a Microsoft Exchange Server 2019 organization.

Users access their email by using Microsoft Outlook 2019.

The users report that when a mailbox is provisioned for a new user, there is a delay of many hours before the new user appears in the global address list (GAL). From Outlook on the web, the users can see the new user in the GAL immediately.

You need to reduce the amount of time it takes for new users to appear in the GAL in Outlook 2019.

What should you do?

- ☐ Modify the default email address policy.
- ☐ Create as address book policy (ABP).
- ☐ Create a scheduled task that runs the Update-GlobalAddressList cmdlet.
- ☐ Modify the offline address (OAB) schedule.

Licensed to Berend Post berend.post@it-university.nl

Question 37

HOTSPOT

You have a Microsoft Exchange Server 2019 organization that uses a namespace of contoso.com.

Email address policies for contoso.com are configured as shown in the Address Policies exhibit. (Click the Address Policies tab.)

Address Policies



Name	PRIORITY	STATUS
Marketing	1	Applied
Sales	2	Applied
Default Policy	**Lowest**	**Applied**

The Marketing email address policy is shown in the Marketing Policy exhibit. (Click the Marketing Policy tab.)

Marketing Policy

Marketing

Email Address Format

SMTP
Primary: John.Smith@contoso.com
Address 2: John.Smith@marketing.contoso.com

Includes

Users with Exchange mailboxes,
in the following departments: Marketing

This email address policy has been applied.

The Sales email address policy is shown in the Sales Policy exhibit. (Click the Sales Policy tab.)

Licensed to Berend Post berend.post@it-university.nl

Sales Policy

Sales

Email Address Format

SMTP
Primary: %1g.%@contoso.com

Includes
Users with Exchange mailboxes,
in the following departments: Sales

This email address policy has been applied.

For each of the following statements, select Yes if the statement is true. otherwise, select No.

Statements	Yes	No
The user mailboxes of the marketing department will have an additional email address that uses a SMTP suffix of @marketing.contoso.com	◯	◯
The user mailbox of a sales department user named Ben Smith will have an email address of b.smith@contoso.com	◯	◯
All user mailboxes will have an email address in the firstname.lastname@contoso.com format.	◯	◯

Licensed to Berend Post berend.post@it-university.nl

Question 38

You have a Microsoft Exchange Server 2019 organization that contains mailbox servers in four Active Directory sites. The organization contains 35,000 user mailboxes. The network bandwidth between the sites is limited.

Users frequently travel between the sites.

You need to ensure the users download the offline address book (OAB) from a local server.

What should you do?

- ☐ Create an arbitration mailbox in each site and configure shadow copies of the OAB.
- ☐ Modify the OAB virtual directories on the Exchange servers in each site to use unique URLs.
- ☐ Place the arbitration mailbox of the OAB in a database that replicates between the sites by using a database availability groups (DAG).
- ☐ Create a separate OAB and arbitration mailbox in each site.

Licensed to Berend Post berend.post@it-university.nl